ПЕРЦЕПЦИЈА, СТАВОВИ И ЗНАЊА УЧЕНИКА СРЕДЊИХ ШКОЛА О КОРИШЋЕЊУ НЕДОЗВОЉЕНИХ СТИМУЛАТИВНИХ СУПСТАНЦИ У СПОРТУ

Сажетак

Проблем употребе забрањених супстанци (допинга) у спорту је био, јесте и биће актуелан проблем који нарушава сам дух спорта, љепоту и задовољство, а врло често и здравље спортисте. Због тога је неопходно приступити рјешавању овога проблема, ако је могуће и трајно, мада је то некада једноставно неизводљиво. Ово истраживање је конципирано тако да се добије увид, изнесу ставови и перцепције ученика о коришћењу допинга у спорту, односно њиховој информисаности о овом спортском феномену модерног доба. У истраживању је учествовало укупно 141 ученик средњих школа (гимназија и туристички техничари), мушког пола, старосне доби од 15-19±0,5 година. Основни циљ истраживања је био да се провјери ниво знања и утврде ставови ученика о употреби забрањених супстанци у спорту. За прикупљање неопходних информација коришћен је анонимни анкетни упитник са 13 јасно дефинисаних питања (11 питања затвореног и 2 питања отвореног типа) која су се односила на одређена знања, ставове о допингу у спорту. Добијени су релевантни резултати који су глобални показатељ информисаности, знања и ставова популације ученика средњих школа о све већем проблему данашњег модерног спорта кога називамо допинг. Чак 75% ученика је атлетику, бициклизам и спортске игре означило као спортове који су највише обиљежили „допинг афере“, а 56% је тенис, спортске игре и голф навело као спортове са најмањим бројем „допинг афера“.

Кључне ријечи: ФАРМАКОЛОШКА СРЕДСТВА / ЗДРАВСТВЕНО СТАЊЕ / ПОСЉЕДИЦЕ / ПРЕВЕНЦИЈА / ЕДУКАЦИЈА.

УВОД

Информације о допингованим спортистима забиљежене су на Олимпијским играма (ОИ) из Сент Луиса, када је побједник маратона Америка-нац Хикс на медицинској њези примио неколико поткожних ињекција стрихнин-сулфата (Puriš, & Polgar, 2006). Први смртни случај због употребе недозвољених супстанци евидентиран је 1896. године, када је енглески бициклиста Артур Линтон преминуо током трке Париз-Бордо, након уноса ефедрина (Puriš, & Korčok, 2004), а на XVII ОИ у

Риму, 1960. године умро је дански бициклист Курт Енамас Јансен, који је према ријечима стручњака, узимао јаке дозе деривата амфетаминa и никотинске киселине од свог тренера. Након овог догађаја Медицинска комисија Међународног олимпијског комитета (МОК) припремила је стручну анализу и материјал који је на ОИ-а у Токију 1964. године прихваћен, и ту је дата прва дефиниција допинга, а тек 1975. године МОК је забранио коришћење свих облика стимуланата.

Када би се дошло до открића да неки спортиста/спортисткиња користе недозвољена средства, цјелокупна одговорност би пала на њихова плећа, а нерјетко спортисти су били и жртве смртоносне комбинације сопствених жеља, случај Флоренс Грифит Џојнер, и нечијих нездравих тежњи и амбиција. Дobar примјер јесте свакако и случај атлетичарке Источне Њемачке, Хајди Кригер, златне са првенства Европе 1986. Године, која је због прекомјерног узимања андрогених хормона морала да промјени и пол (у Андреас Кригер); затим атлетичара: Бен Џонсона, Мерион Џонс, Тима Монтгомерија и Тајсон Геја; побједника Тур де Франса, Ленса Армстронга, којима је утврђено коришћење недозвољених супстанци и којима су одузета сва признања и медаље (Hnizdil, 2000; Michalák, & Kyselovičová, 2001; CNN World Sport, 2014). Посљедње ОИ у Лондону су такође обиљежиле допинг афере неких спортиста, гдје је пред саме игре дисквалификовано 12 спортиста, а одузете су и двије медаље након игара (Grohmann, 2012a). То се догодило иако је прије ОИ у Лондону било најављено да ће половина такмичара бити тестирана на дроге и да ће сваки такмичар освајач медаље бити подвргнут тестирању без било каквог обавијештења (BBC News Online, 2012). Према подацима званичника Свјетске анти-допинг агенције (WADA) од 24. јула, чак 107 спортиста било је кажњено због допинга у протеклих шест мјесеци (Grohmann, 2012b). Британски спортисти Двејн Чемберс, Дејвид Милар и Карл Мајерскоф такмичили су се у Лондону, након што је британски Арбитражни суд поништио доживотну забрану олимпијског савеза Британије. Поред њих, амерички спортисти: Џастин Гетлин, ЛаШон Мерит и Јохан Блејк су такође наступили, иако су били укључени у претходним случајевима допинга (Grohmann, 2012a). Проблем коришћења допинг средстава код непрофесионалних спортиста има своје специфичности у односу на злоупотребу допинга код професионалних и врхунских спортиста. Спортисти аматери, са једне стране, не подлијежу допинг контролама и немају бојазан да ће бити санкционисани, док са друге стране није јасно зашто они користе допинг када њихова физичка и спортска постигнућа немају за циљ успех у суровој такмичарској конкуренцији (Radovanović, & Mitić, 2014).

Знања и ставови студентске популације о проблему допинга у спорту су била предмет истраживања неких аутора (Laure, Bisinger, & Lecerf, 2003). Мелиа и сарадници (Melia, Pipe, & Greenberg, 1996) су спровели анкету у пет канадских регија која је обухватила 107 школа са циљем одређивања преваленције употребе анаболичко-андрогених стероида, њихових ставова и знања о допингу. Резултати су показали да је већи број користио забрањене супстанце у години прије истраживања, а значајан број испитаника је изјавио да користе друге супстанце у покушајима да побољшају спортски резултат. Резултати су били алармантни и неочекивани за наставнике, здравствене и спортске раднике. Анонимним анкетним упитником Киндлунд и сарадници (Kindlundh, Isacson, Berglund, & Nyberg, 1998) су спровели истраживање међу адолесцентима средњих школа Упсале како би утврдили степен узимања забрањених дрога у спорту. Резултати су показали да је 2,7% мушкараца и 0,4% дјевојака користио допинг у неком тренутку свога живота, а као главни разлог коришћења допинга су навели побољшање физичког изгледа и побољшање спортских перформанси.

Истраживања коришћења анаболичких андрогених стероида (AAS) у случајном узорку из пет теретана су спровели Канајама и сарадници (Kanayama, Gruber, Pope, Borowicki & Hudson, 2001). Добили су резултате да 3,5% укупне популације користи AAS, од чега 5,4% обухвата мушку популацију. Поједини домаћи истраживачи су истраживали преваленцу коришћења AAS на српској популацији (Jovanović & Radovanović, 2001). На узорку рекреативних боди-билдера добијени су резултати да је 5,23% боди-билдера, бар једном, користило AAS. Пољски аутор Рахон са сарадницима (Rachoń, Pokrywka, & Suchecka-Rachoń, 2006) је путем познатих интернет портала спровео обимну анкету током једног мјесеца са циљем утврђивања преваленције употребе дрога у спорту међу младима, доби 19-20 година. Резултати су показали да је учесталост употребе AAS већи код мушкараца него код жена. Мушки AAS корисници, у односу на оне који нису користили AAS, били су чешће забринуте због свог физичког изгледа, мање образовани и често се бавили неком спортском активношћу. Међу женским AAS корисницима нема значајне разлике у вези животног стила

или учествовања у спорту. Међутим, у односу на оне које не користе ААС, женски корисници ААС су били мање образовани. Закључак је био да је употреба ААС стварност у Пољској и може постати озбиљан здравствени проблем међу адолесцентима и младима.

У обимној студији МекКејба и сарадника (McCabe, et al., 2007) приказани су резултати националне анкете која је показала да је у периоду од 1993-2001. године дошло до знатног пораста употребе анаболичких стероида, међу америчким студентима. Вањек и сарадници (Wanjek, Rosendahl, Strauss, & Gabriel, 2007) су објавили резултате истраживања спроведеног 2004. године у Тирингији (Њемачка) на основу анкете у више основних, средњих и струковних школа. 15,1% ученика је користило допинг, а највише их је конзумирало ААС, хормон раста, стимулансе, канабис, диуретике, кокаин/хероин и ерутропоеитин. Шта више, 490 неспортиста је потврдило да за 5% више користе допинг од рекреативних спортиста и готово три пута више од спортиста. Налази студије упућују на потребу за побољшањем специфичних знања о допингу међу ученицима и студентима и да њихов став према допингу мора бити промијењен.

Слична истраживања су спроведена задњих година од стране украјинских аутора (Bondarev, Ajitskiy, Galchinsky, Labkir, & Druz, 2008; Bondarev, Galchinsky, Labkir, Druz, & Ajitskiy, 2009; Bondarev, & Sirenko, 2010) који су публиковали националну студију у сарадњи са Светском антидопинг агенцијом (WADA). Павловић и Пупиш (Pavlović, & Puriš, 2013) су проучавали ову тему на популацији 50 студената физичког васпитања и спорта Источног Сарајева, а такође Павловић и Идризовић (Pavlović, & Idrizović, 2013) су то истраживали на заједничком узорку од 100 студената физичког васпитања и спорта Источног Сарајева и Никшића.

Основни циљ овог истраживања је био да се провјере знања и утврде ставови ученика средњих школа о употреби забрањених супстанци (дрога) у спорту. Пошло се од претпоставке да ова популација ученика није довољно информисана

и да немају довољно знања о проблему допинга и свим негативним посљедицама које коришћење ових супстанци са собом носи. И поред тога претпоставка је да ученици имају негативну перцепцију о употреби допинга у спорту.

МЕТОД

Узорак испитаника

У истраживању је учествовало укупно 141 ученик средње школе (гимназија и туристички техничари) из Пала, мушког пола, старосне доби 15-19±0,5 година. Обухваћени су ученици I разреда (n=33), II разреда (n=41); III разреда (n=33) i IV разреда (n=34). Сви ученици су добровољно учествовали у анкетирању.

Инструменти и обрада података

У складу са природом проблема и циљем истраживања примјењена је метода систематско-неексперименталног истраживања. Као начин прикупљања неопходних информација коришћен је анонимни анкетни упитник (Pavlović, & Puriš, 2013) са 13 јасно дефинисаних питања која су се односила на одређена квалитативна знања и ставове о употреби допинг средстава у спорту (11 питања затвореног типа и 2 питања отвореног типа). Анкета је реализована у априлу 2014. године. Резултати су изражени у номиналним и процентуалним вредностима.

РЕЗУЛТАТИ

Резултати истраживања су представљени табеларно и графички (заступљеност допинга у спортовима). На основу увида у табелу 1 може се закључити да су ученици били приближних ставова у питањима 6 и 8, док су у осталим питањима ставови и мишљења била подијељена.

Табела 1. Одговори у анкетном упитнику изражени кроз номиналне и процентуалне вредности

	ПИТАЊА?	ДА	%	НЕ	%
1.	Да ли сте икада дошли у контакт са допинг супстанцом?	20	14.18%	121	85.82%
2.	Да ли знате попис забрањених супстанци и лијекова?	40	28.36%	101	71.64%
3.	Да ли сте икада узели забрањену супстанцу?	15	10.63%	126	89.37%
4.	Да ли би ви икада узели допинг за остварење личних резултата?	39	27.65%	102	72.35%
5.	Мислите ли да су неки од садашњих најбољих спортиста узимали допинг?	122	86.52%	19	13.48
6.	Јесте ли упознали некога а за кога сте знали да је узимао допинг?	71	50.35%	70	49.65%
7.	Мислите ли да је исправно да позитивног на допинг имате у својој близини?	51	36.17%	90	63.83%
8.	Мислите ли да допинг контрола може 100% открити допингованог спортисту?	69	48.93%	72	51.07%
9.	Мислите ли да постоји начин да се преваре тестови на допинг контролу?	93	65.95%	48	34.05%
10.	Постоје ли неки од свјетског анти-допинг програма за подршку спортиста у земљи?	64	45.39%	77	54.61%
11.	Да ли знате шта је WADA?	25	17.73%	116	82.27%
12.	За који спорт мислите да је највише обиљежио допинг афере?	Графикон 1			
13.	За који спорт мислите да је најмање заражен дрогама?	Графикон 2			

Иако је релативно мали узорак обухваћен истраживањем добијени резултати могу бити изузетно значајни. На бази резултата анкете добијена је реална слика о ставовима и знањима ученичке популације о (зло)употребама допинга у спорту. Општа информисаност анкетираних ученика по питању знања о допингу је врло скромна. По мишљењу 87% свих испитаних ученика неки данашњи најбољи спортисти су ипак узели допинг средство, а 50% испитаних је упознало некога који је користио допинг. Чак 64% ученика сма-

тра да особа позитивна на допинг није пожељна у њиховој близини. Што се тиче антидопинг контрола, 49% испитаних има став да контрола може открити допингованог спортисту а 66% анкетираних ученика сматра да се ипак на неки начин могу преварити допинг тестови. Са подршком анти-допинг програма за подршку спортистима у земљи упознато је само 45% ученика, а чак преко 82% ученика не познаје термин WADA.

Графикон 1. Спортови које су у највећој мери обиљежиле допинг афере

Графикон 2. Спортови које су у најмањој мери обиљежиле допинг афере

Графикони 1 и 2 представљају ставове испитаника о спортовима које су највише обиљежиле допинг афере и оних са најмање обиљеженим допинг аферама. Може се рећи да је очекивано да је допинг највише обиљежио атлетику (31%), бициклизам (23%) и спортске игре (21%), што је допринијело да су ови спортови врло често у

жижи медијске јавности, јер чине $\frac{1}{4}$ спортова који су обиљежили неки допинг скандали (Графикон 1). Наведени су још борилачки спортови, боди-билдинг, тенис, пливање и зимски спортови (испод 6%).

Као најмање обиљежени спортови допинг аферама су наведени спортске игре (32%), голф

(13%), тенис (11%), ватерполо (10%), итд. Остали спортови су испод 10%, а спорт који је најмање обиљежен допинг аферама ученици су навели куглање и стрељаштво са 3% (Графикон 2).

ДИСКУСИЈА

Истраживање које је реализовано имало је за циљ да се провјере знања и утврде ставови ученика средњих школа о употреби забрањених супстанци (дрога) у спорту. Пошло се од претпоставке да ова популација ученика није довољно информисана и да немају довољно знања о проблему допинга и свим негативним посљедицама које коришћење ових супстанци са собом носи. Оно што је евидентно јесте чињеница да допинг узима све више маха у професионалном и врхунском спорту, на различитим европским и светским првенствима, те Олимпијским играма. Очекивало се да ће МОК и Међународни спортски савези, с образовним програмима, тестирањима, и подржавајући лијечење, успјети да смање злоупотребу супстанци. Међутим, да то није испунило очекивања, јесте чињеница да су сада новије, снажније и непрепознатљиве допинг технике и супстанце злоупотребљаване од стране професионалних, често и врхунских спортиста, а развијене су и софистицираније мреже дистрибуције (Baron, Martin, & Magd, 2007). Поред спортског духа, који се у данашње време занемарује, без обзира о којем рангу такмичења је ријеч, учесници све више, подлијежу коришћењу забрањених стимулативних средстава, превара и обмана, како би стигли до тог крајњег циља, а да при томе свјесно ризикују сопствени живот и будућност (Pavlović, & Puriš, 2013).

Управо резултати овог истраживања су пружили одређене информације о ставовима и знањима ученика средњих школа о проблему допинга у спорту. Истраживање може да буде значајно због популације која је обухваћена истраживањем, јер се ради о младој популацији, актуелним или будућим спортистима, којима је императив победа, а у други план се ставља њихово здравље и образовање по том питању. Врло често професионални спортисти су узори адолесцената и младих, који их често опонашају, укључујући и злоупотребе дрога (Baron, et al., 2007).

У односу на добијене резултате овог истраживања међу средњошколцима, који можда још увијек нису алармантни, јер нпр. истраживања Јесалиса и сарадника (Yesalis, Michael, & Bahrke, 2000) показују да је 3-12% адолесцената мушкараца и 1-2% адолесцената жена признало да користи ААС у неком тренутку током свог живота. Поредећи резултате актуелног истраживања са истраживањима (Puriš, & Polgar, 2006; Pavlović, & Puriš, 2013; Pavlović, & Idrizović, 2013) која су се бавила истом проблематиком на популацији студената физичког васпитања и спорта, може се закључити да су ти резултати у супротности са резултатима овог истраживања. Студенти су имали идентичан став по питању употребе допинга садашњих врхунских спортиста, наводећи да су сви они бар једном узели допинг у току каријере и тако остварили најбољи резултат. Такви ставови студената су у дјеломичној супротности са резултатима средњошколаца, гдје је 14% ученика мишљења да најбољи спортисти нису узимали допинг за остварење резултата. Вјероватно узрок оваквог мишљења ученика јесте и недовољна информисаност по питању конзумације допинга у спорту и негативним посљедицама које он носи. Значај проблема допинга је базиран на више чињеница, а прије свега на штетним ефектима на поједине органске системе које изазива коришћење допинг супстанци (Mougios, 2001; Parssinen, & Sepapala, 2002; Payne, Kotwinski, & Montgomery, 2004; Hargtens, & Kuipers, 2004; Dhar, Stout, Link, Homoud, Weinstock, & Estes 2005., Deligiannis, Björnstad, Carre, Heidbüchel, Kouidi, & Panhuyzen-Goedkoop, 2006; Hasson, Salem, & Sayed, 2009).

Према овом истраживању, само 14,18% је дошло у директан контакт са забрањеном супстанцом, а скоро 86% ученика није никада било у контакту са било којом допинг супстанцом (табела 1). Скоро идентичне резултате истраживања су добили Вањек и сарданици (Wanjek, et al., 2007) гдје је такође 15% ученика користило допинг. За разлику од истраживања Мелија и сарадника (Melia, et al., 1996), те Рахона и сарадника (Rachon, et al., 2006), чији су резултати били алармантни и ту су неопходне биле хитне превентивне мјере, наши испитаници су још у границама толеранције, односно још увијек су пасивни када је у питању употреба забрањених супстанци, што је добро. У новије вријеме примјетан је пораст броја

непрофесионалних спортиста и млађе популације који користе допинг (Michalák, & Kyselovičová, 2001; Erhnborg, & Rosen, 2009). Додатну тежину даје и податак о узрасту корисника допинга који каже да је међу младим спортистима узраста од 10-15 година проценат корисника допинга 0.7% (Wroble, Gray, & Rodrigo, 2002) и да је први контакт са ААЦ обично између 12 и 13 године (Kokkevi, Fotiou, Chileva, Nociar, & Miller, 2008) што је врло алармантно.

За разлику од истраживања Павловића и Идризовића (Pavlovića, & Idrizovića, 2013) гдје је 32% испитаника дошло у директан контакт са допингом, резултати овог истраживања су потврдили супротно. Знатна већина ученика средњих школа има негативан став према допингу, и самим тим показује да је допинг нежељена супстанца коју не треба конзумирати. Такође, треба узети у обзир и податак да њих скоро 72% не зна попис забрањених супстанци и лијекова, што вјероватно представља и проблем јер је едукација о допингу недовољна, мало заступљена у школама. Потребно је склопити одређене билатералне споразуме са матичном антидопинг агенцијом БиХ која би превентивно образовала ученике о нежељеним посљедицама коришћења допинг средства. Необавјештеност о штетном утицају допинга се не дешава само код нас и може се рећи да и не изненађује. Постоје подаци који показују да је некада и информисаност љекара опште праксе који врше тестирања спортиста на недовољном нивоу, односно нису упознати са забрањеним производима, као и негативним ефектима које коришћење допинга производи (Laure, et al., 2003).

Висок постотак (више од 89%) испитаника овог истраживања никада није користио забрањене супстанце, само њих 10,63% је узело неку забрањену супстанцу. Може се констатовати да је овај податак охрабрујући, а процент оних који су узимали забрањене супстанце је занемарљив у поређењу са сличним истраживањима (Rachoń, et al., 2006; Kokkevi, et al., 2008; Erhnborg, & Rosen, 2009). С обзиром да се ради о средњошколцима, податак од 10% који су конзумирали допинг је помало и очекиван, ако се узме у обзир окружење средине, социјално сазријевање, жеља за доказивањем у средини, побољшање физичког изгледа и побољшање спортских перформанси (Kindlundh, et al., 1998). Међутим, проблем

представља и оних 10% који су већ конзумирали неку недозвољену супстанцу, вјероватно (не) свјесни евентуалних посљедица усљед недовољне информисаности о штетном дјеловању допинга, (Parssinen, & Sepapala, 2002; Payne, et al., 2004; Hartgens, & Kuipers, 2004; Dhar, et al., 2006; Hasson, et al., 2009). Резултати овог истраживања су различити од резултата ранијих истраживања ове врсте рађеним на узорку студената (Melia, et al., 1996; Wanjek, et al., 2007; Bondarev, et al., 2008, 2009; Pavlović, & Idrizović, 2013).

Више од половине испитаних ученика, (72%) је имало негативан став о евентуалном коришћењу забрањених супстанци за остварење личних резултата а њих 28% је подржавало употребу забрањених супстанци. Врло је важно да већина испитаника средњошколаца има негативан став по овом питању и не подржава узимање било којих забрањених супстанци. Овакав став је у супротности са ставовима италијанских средњошколаца који су показали намјеру знатно већег коришћења допинга и јачим увјерењем да ће их други подржати (Lucidi, Zelli, Mallia, Grano, Russo, & Violani, 2008).

Проблем је врло често у самој личности спортисте који је незадовољан учинком и напредовањем, јако израженом жељом за постизање врхунских резултата, што је праћено огромним зарадама, популарношћу и угледом, вјеровањем да и други користе исте или сличне супстанце као и недостатком знања о нежељеним ефектима употребе допинга (Petróczi, 2007).

Интересантан је податак и став свих испитаника обухваћен овим истраживањем (скоро 87%) који сматрају да су неки од садашњих најбољих спортиста узимали неку врсту забрањених супстанци. То потврђује претпоставку да је негативна перцепција употребе допинга у врхунском и професионалном спорту у овој младој популацији, гдје је знатна већина ангажована у неком спорту. Скоро идентичне резултате су добили и други аутори (Puriš, & Polgar, 2006; Bondarev, & Sirenko, 2010; Pavlović, & Idrizović, 2013).

Око познавања некога да је узимао допинг, мишљења ученика су била подијељена. Чак 50% ученика је упознало некога ко је узимао и користио допинг, што значи да су они на одређени начин упознати са дјеловањем ових супстанци преко најчешће својих познаника или пријатеља, а 50% није никада упознао неку особу за коју је знао да

користи забрањене супстанце. Нешто другачији став су имали и о томе да ли је исправно да позитивног на неку врсту допинга имају у својој близини. Од укупног броја ученика њих 64% је против таквих особа да се нађу у њиховој близини а 36% то одобрава, чиме показују одређени степен толеранције на допинг у спорту. Ипак више од половине анкетираних ученика не показују нити одобравају коришћење допинга у спорту, што је итекако значајно. Један можда занимљив резултат је добијен по питању поузданости тестирања на допинг и могуће преваре. У одговору на ово питање 51% испитаника сматра да допинг контроле не могу увијек открити допингованог спортисту, а њих 49% сматра да је то могуће. Добијени резултати се подударају са резултатима истраживања (Pavlović, & Puriš, 2013). Више од половине испитаних ученика (66%) сматра да постоје начини да се преваре тестови за допинг контролу што је идентично са резултатима истраживања Павловић и Идризовић (Pavlović, & Idrizović, 2013). Овај проценат упућује на закључак да још увијек међу ученицима постоји дилема око поузданости антидопинг контрола и њиховог провођења.

На питање да ли постоји у земљи неки од антидопинг програма који би помагали спортистима, већа половина узорка (55%) није упозната да у њиховој земљи постоји неки од свјетских анти-допинг програма за подршку спортистима, у смислу континуиране едукације, семинара, конференција итд., што је у супротности са истраживањем (Puriš, & Polgar, 2006), а њих 45% је упознато са тим агенцијама на нивоу државе. Овај податак само показује да је информисаност ове популације недовољна и да је неопходно спроводити додатну едукацију по овом питању. У погледу спорта који је највише обиљежио допинг афере (Графикон 1) на првом мјесту ученици средњих школа су кандидовали атлетику и бициклизам. Добијени резултати се подударају са резултатима словачких аутора (Puriš, & Polgar, 2006) који су такође навели атлетику и бициклизам, са знатно већим процентом, као водеће у допинг аферама. Генерално посматрано, овдје се ради о индивидуалним спортовима, гдје претпоставка да се бициклизам и атлетика идентификују углавном са сталном медијском

пажњом и спортистима из ове групе који су најчешће и дио допинг контроле. С друге стране, моћ спортских удружења која генерално перципирају као спортове у којима се допинг пречесто користи (Wilson, 2012). Као спортове најмање „заражене“ дрогама највише одговора испитаних ученика односило се на спортске игре, голф и тенис чак и ако анкетно питање није било усмјерено специфично за спорт, групу спортова (Графикон 2). У истраживању Пупиш и Полгар (Puriš, & Polgar, 2006) спортске игре, са 66%, су такође означене као спорт који је најмање заражен дрогама, за разлику од истраживања Павловића и Идризовића (Pavlović, & Idrizović, 2013) гдје спортске игре нису међу спортским гранама које су најмање „заражене“ дрогама, већ су неки други спортови заузели то мјесто (Pavlović, & Puriš, 2013).

Колико су резултати ове спроведене анкете на популацији ученика средњих школа охрабрујући потврђују и добијени резултати истраживања, нарочито у поређењу са сличним, која су такође за проблем имала употребу допинг средстава у спорту (Melia, et al., 1996; Kindlundh, et al., 1998; Laure, et al., 2003; Rachon, et al., 2006; Wanjek, et al., 2007; Bondarev, et al., 2009).

Да би се ово размишљање ученика одржало у позитивном тренду, врло је важна борба против допинга, свим могућим средствима. Треба се залагати за образовање од почетка организовања спортова и свих спортских секција у школама. Због тога код младих, нарочито школског узраста, треба што више развијати свијест о штетним утицајима допинга на организам човјека, лимитима организма и границама издржљивости, преко којих се не смије ићи. Тренутна стратегија за рјешавање повећања коришћења допинга од стране адолесцената је вишенамјенска и првенствено укључује образовање и превенцију, забране и антидопинг тестирања. Уколико допинг не престане да буде мрачна страна спорта, онда ће спорт у сваком погледу изгубити у потпуности сваки смисао, мада добрим дијелом већ и јесте, и постаће тек само грана производње, бизнис, тржиште фармацеутских компанија и ништа више, а активни судионици употребе допинга ће постати њихове жртве, без обзира о којој популацији је ријеч.

ЗАКЉУЧАК

Добијени резултати овог истраживања могу се прихватити као глобални показатељ информисаности, перцепције, знања и ставова ученика средњих школа о све већем проблему данашњег модерног спорта. Они могу бити релевантни за ширу друштвену заједницу. Општа информисаност ученика по питању знања о допингу је врло скромна. У поређењу са истраживањем на ученицима и студентима (Melia, et al., 1996; Rachoń, et al., 2006; Puriš, & Polgar, 2006; Pavlović, & Idrizović, 2013; Pavlović, & Puriš, 2013) ставови и знања о неким питањима се дијаметрално разликују. Као што се очекивало, ученици сматрају да је допинг највише обиљежио атлетику, бициклизам и спортске игре, што је последица медијске пажње ових спортова. Наведени су још борилачки спортови, боди билдинг, тенис, пливање и зимски спортови. Као најмање обиљежени спортови допинг аферама су наведени спортске игре, голф, тенис, ватерполо, итд. На основу добијених резултата, нарочито оних 14% који су дошли у контакт, 10-11% који су већ узели неку забрањену супстанцу и 28% који би узели забрањену супстанцу за личне резултате је „упозорење“. Стога је потребно више информација и спортске свијести међу младима, школама спорта и спортским клубовима о штетном утицају допинга на здравље спортисте.

Добијени резултати ученика по питању ставова о употреби допинга, знања и информисаности о негативним ефектима допинга оправдава даља слична истраживања. Управо ова ученичка популација је можда будућност спорта и због тога је неопходна додатна едукација по овом питању. Мере које би могле бити корисне су: представљање антидопинг програма младима (у школама и спортским клубовима), уз промоцију спортског духа како би се створило окружење које одлучно подржава спорт без допинга и има позитиван и дугорочан утицај на изборе које чине спортисти и друге особе; представљање таквих програма и другима који могу да утичу на младе - родитељима, тренерима, одраслим спортистима, спортским функционерима, медицинском особљу, али и медијима; успостављање везе са државним сектором, задуженим за формално образовање, ради системског укључивања антидопинг садржаја у школске наставне планове и програме, (независни и, за коришћење, једноставни материјали који не захтјевају неку врсту додатне обуке наставника - активности читања на часовима језика, научне чињенице у вези са допингом на часовима физичког васпитања, дискусије о моралу и етици у спорту повезаним са допингом на часовима грађанског васпитања, итд); представљање законских прописа у вези са допингом (Мандарић, и Делибашић, 2014). Све ово подразумева и добру сарадњу са актуелним државним антидопинг агенцијама.

ЛИТЕРАТУРА

1. Baron, A.D., Martin, D.M., & Magd, S.A. (2007). Doping in sports and its spread to at-risk populations: an international review. *World Psychiatry*, 6(2), 118–123.
2. BBC (15.07.2012). London 2012: All medallists to be drugs tested at Olympics. BBC News Online. Доступно 28.07.2012, на <http://www.bbc.co.uk/sport/0/olympics/1884957>.
3. Bondarev, D.V., Ajitskiy, K.Y., Galchinsky, V. A., Labskir, V.M., & Druz, V.A. (2008). Attitude towards doping of Sports students and students of Polytechnic Sciences. *Journal of Pedagogic, Psychology and Medico-Biologic Problems of Physical Training and Sport*, 5, 18–24.
4. Bondarev, D.V., Galchinsky, V.A., Labskir, V.M., Druz, V.A., & Ajitskiy, K.Y. (2009). Doping prevalence and knowledge among high school students. *Proceedings of the International Scientific Conference Actual Problems of Developing Sport for All*, (pp. 293–295). Ternopil.
5. Bondarev, D.V., & Sirenko, R.R. (2010). Doping amongst students: Knowledge, Attitude, Behaviour. *Proceedings of the 1-st scientific conference Physical Education and Sport Improving among Sevastopol Youth*, (pp.10-25).
6. Wanjek, J.B., Rosendahl, B., Strauss, H., & Gabriel, H (2007). Doping, Drugs and Drug Abuse among Adolescents in the State of Thuringia (Germany):

- Prevalence, Knowledge and Attitudes. *International Journal of Sports Medicine*, 28(4), 346–353.
7. Wilson, S.(13.08.2012). Belarus shot putter stripped of Olympic gold. Associated Press. Доступно 11.10.2012, на <http://www.canada.com/sporta/all/Belarusian+shot+putter+Nadzeya+Ostapshuk+stripped+Olympic+gold+medal/7082246/story.html>.
8. Wroble, R.R., Graay, M., & Rodrigo, J.A. (2002). Anabolic steroids and preadolescent athletes: prevalence, knowledge and attitudes. *Sport Journal*, 5(3), 1–8.
9. Grohmann, K. (07.11.2012a). Doping-IOC strips Uzbek wrestler of Olympic bronze. Reuters. Доступно 04.08.2012, на <http://www.reuters.com/article/2012/11/07us-doping-olympics-wrestler-idUSBRE8A617120121107>.
10. Grohmann, K. (24.07.2012b). Testers nab more than 100 athletes-WADA. Reuters. Доступно 04.08.2012, на <http://www.reuters.com/London-olympics-2012/articles72012/07/247testers-nab-more-100-athletes-prior-london-wada>.
11. Dhar, R., Stout, C.W., Link, M.S., Homoud, M.K., Weinstock, J., & Estes, N.M. (2005). Cardiovascular toxicities of performance-enhancing substances in sport. *Mayo Clinic Proceedings*, 80(10), 1307–1315.
12. Deligiannis, A., Björnstad, H., Carre, F., Heidbüchel, H., Kouidi, E., & Panhuyzen-Goedkoop, N.M. (2006). ESC study group of sports cardiology position paper on adverse cardiovascular effects of doping in athletes. *European Journal of Cardiovascular Prevention & Rehabilitation*, 13(5), 687–694.
13. Erhnborg, C., & Rosen, T. (2009). The psychology behind doping in sport. *Growth Hormone & IGF Research*, 19, 285–287.
14. Yesalis, C.E., Michael, S., & Bahrke, M.S. (2000). Doping among adolescent athletes. *Best Practice & Research Clinical Endocrinology & Metabolism*, 14(1), 25–35.
15. Јовановић, Д., и Радовановић, Д. (2001). *Допинг и спорт*. Ниш: Roller print.
16. Kanayama, G., Gruber, A.J., Pope, H.G., Jr., Borowiecki, J.J., & Hudson, J.I. (2001). Over-the-counter drug use in gymnasium: an unrecognized substance abuse problem? *Psychoter Psychosom*, 70 (3), 137–140.
17. Kindlundh, A.M., Isacson, D.G., Berglund, L., & Nyberg, F.(1998). Doping among high school students in Uppsala, Sweden: A presentation of the attitudes, distribution, side effects, and extent of use. *Scandinavian Journal of Public Health*, 26(1), 71–74.
18. Kokkevi, A., Fotiou, A., Chileva, A., Nociar, A., & Miller, P. (2008). Daily exercise and anabolic steroids use in adolescents: a cross-national European study. *Substance Use and Misuse*, 43(14), 2053–2065.
19. Laure, P., Binsinger, C., & Lecerf, T. (2003). General practitioners and doping in sport: attitudes and experience. *British Journal of Sports Medicine*, 37, 335–338.
20. Lucidi, F., Zelli, A., Mallia, L., Grano, C., Russo, M.P, & Violani, C. (2008). The social-cognitive mechanisms regulating adolescents' use of doping substances. *Journal of Sports Sciences*, 26(5), 447–456.
21. Мандарић, С., и Делибашић, В. (2014). Санкционисање допинга у спорту. *Физичка култура*, 68(1), 39–49.
22. Melia, P., Pipe, A., & Greenberg, L. (1996). The use of anabolic-androgenic steroids by Canadian students. *Clinical Journal of Sport Medicine*, 6(1), 9–14.
23. Michalák, K., and Kyselovičová, O. (2001). Užívanie anabolík počas kondičného tréningu rekreačne športujúcich mužov. *Telesna výchova a šport*, 11(2), 17–21.
24. Mougios, V. (2001). Doping abuse in recreational sports. In C. Peters, T. Schulz, & H. Michina (Eds.), *Biomedical side effects of doping* (pp.183–191). Bonn: Bundesinstitut für sportwissenschaft.
25. McCabe, E.S., Brower, K. J., Brady, T., West, B. T., Toben, F., Nelson, T.T., & Wechsler, H. (2007). Trends in non-medical use of anabolic steroids by U.S. college students: Results from four national surveys. *Drug Alcohol Depend*, 90(2-3), 243–251.
26. Pavlović, R., & Pupiš, M. (2013). Student attitudes and knowledge of physical education and Sports on use doping in sport. *Sport Science*, 6(2), 21–28.
27. Pavlović, R., & Idrizović, K. (2013). Attitudes of students of physical education and sports about doping in sport. *FACTA UNIVERSITATIS Series: Physical Education and Sport*, 11(1), 103–113.

28. Parssinen, M., & Sepapala, T. (2002). Steroid use and long-term health risk in former athletes. *Sports Medicine*, 32(2), 83–94.
29. Payne, J.R., Kotwinski, P.J., & Montgomery, H.A. (2004). Cardiac effects of anabolic steroids. *Heart*, 90, 473–475.
30. Petroczi, A. (2007) Attitudes and doping: A structural equation analysis of the relationship between athletes' attitudes, sport orientation and doping behaviour Substance Abuse. *Treatment, Prevention, and Policy*, 2(1), art. no. 34.
31. Pupiš, M., & Polgar, V. (2006). Znalosti športujućej mládeže o doping-u a možnosti dopingovej prevencie. *Proceedings of the International Scientific Seminar of Doctoral Candidates: a humanistic form of sport and physical education*, (pp. 46). Bratislava: UK FTVŠ.
32. Pupiš, M., & Korčok, P. (2004). Vytrvalostný šport a doping. *Slovenská chôdza*, 8(4), 36.
33. Радовановић, Д., и Митић, П. (2014). Проблем коришћења допинг у непрофесионалном спорту. У Д. Радовановић., Н. Понорац (ур.), *Допинг и антидопинг*. (стр. 45–60). Факултет спорта и физичког васпитања Ниш: Медиавест.
34. Rachon, D., Pokrywka, L., & Suchecka-Rachon, K. (2006). Prevalence and risk factors of anabolic-androgenic steroids (AAS) abuse among adolescents and young adults in Poland. *International Journal of Public Health*, 51(6), 392–398.
35. Hartgens, F., & Kuipers, H. (2004). Effects of androgenic-anabolic steroids in athletes. *Sports Medicine*, 34(8), 513–554.
36. Hasson, N., Salem, M., & Sayed, M. (2009). Doping and effect of anabolic androgenic steroids on the heart: histological, ultrastructural, and echocardiographic assessment in strength athletes. *Human & Experimental Toxicology*, 28(5), 273–283.
37. Hnizdil, J. (2000). *Doping aneb zákulisí vrcholového sportu*. Praha: Grada Publishing.
38. CNN World Sport (05.02.2014). Sprinting star Tyson Gay gets reduced one-year doping ban. News Online. Доступно 08.02.2014, на <http://edition.cnn.com/2014/05/02/sport/athletics-gay-one-year-ban/>.

PERZEPTION, EINSTELLUNG UND WISSEN VON MITTELSCHÜLERN ÜBER DIE VERWENDUNG UNERLAUBTER STIMULIERENDER MITTEL IM SPORT

Zusammenfassung:

Das Problem der Verwendung von unerlaubten Substanzen (Doping) im Sport war, ist und wird ein aktuelles Problem sein, dass dem Geist des Sportes, der Schönheit und der Freude, oft auch der Gesundheit der Sportler in großem Maße zusetzt. Aus diesem Grunde ist es unumgänglich, sich mit der dauerhaften Lösung dieses Problems zu beschäftigen, auch wenn dies manchmal nicht durchführbar ist. Das Konzept dieser Untersuchung soll einen Einblick in die Einstellung und Perzeption der Schüler über die Verwendung von Doping im Sport bzw. über ihre Informiertheit über dieses moderne Phänomen im Rahmen des Sports ermöglichen. An der Untersuchung nahmen insgesamt 141 Schüler männlichen Geschlechts im Alter von 15-19 +/- 0,5 Jahren aus verschiedenen Mittelschulen (Gymnasium und Techniker des Tourismus) teil. Das Grundziel der Untersuchung war es, die Wissensebene der Schüler zu überprüfen und ihre Einstellung zur Verwendung von unerlaubten Substanzen im Sport festzustellen. Für die Sicherstellung der benötigten Informationen wurde ein anonymer Fragebogen mit 13 klar definierten Fragen (11 geschlossene und 2 offene Fragen) verwendet, die sich auf ein bestimmtes Wissen und eine Einstellung in Bezug auf Doping im Sport bezogen. Es wurden relevante Ergebnisse gewonnen, die einen globalen Indikator der Informiertheit, des Wissens und der Einstellung der Schüler in Mittelschulen über ein immer größeres Problem des heutigen modernen Sports – das Doping – darstellen. 75% der Schüler bezeichneten Athletik, Radsport und Sportwettbewerbe als Sportarten die in größtem Maße von „Dopingaffären“ gekennzeichnet wurden. 56% der Schüler führten Tennis, Sportwettbewerbe und Golf als diejenigen Sportarten mit der mindesten Anzahl von „Dopingaffären“ an.

Schlüsselwörter: PHARMAKOLOGISCHE MITTEL / GESUNDHEITZUSTAND / FOLGEN / PRÄVENTION / BILDUNG

Примљено: 10.09.2014.
Прихваћено: 13.01.2015.

PERCEPTIONS, ATTITUDES AND KNOWLEDGE OF SECONDARY SCHOOL STUDENTS REGARDING THE USE OF THE FORBIDDEN STIMULANT SUBSTANCES IN SPORTS

Abstract

The problem of the use of banned substances (doping) in sport has been, is and will be an ongoing problem that undermines the very spirit of sport, beauty and pleasure, and very often the health of athletes. Therefore, it is essential to solve this problem, if possible, permanently, although it is sometimes simply impossible to do. It is this research that is designed to gain a real insight, express attitudes and perceptions of students on the use of doping in sport that is the information on this sports phenomenon of the modern age. The study included a total of 141 high school students (Gymnasium and Touristic technicians) from Pale, male, aged $15-19 \pm 0.5$ years. The main objective of the study was to test the level of knowledge and identify students' attitudes about the use of prohibited substances in sport. To collect the necessary information has been used an anonymous questionnaire with 13 clearly defined questions (11 closed questions and two open-ended questions) that are related to specific knowledge, attitudes about doping in sport. The obtained results are relevant to the global indicator of awareness, knowledge and attitudes of the population of high school students about the problem of today's modern sport which is called doping. As many as 75% of the students the athletics, cycling and sports games marked as sports that are most marked by doping scandals, and 56% were tennis, golf games stated as a sport with the least number of doping scandals.

Key words: PHARMACOLOGICAL AGENTS / HEALTH CONDITION / CONSEQUENCES / PREVENTION / EDUCATION

INTRODUCTION

Information on doped athletes were recorded at the Olympic Games (OI) from St. Louis, when the winner of the marathon the American Hicks while on medical care, received several subcutaneous injections of strychnine sulfate (Pupiš, & Polgar, 2006). The first death due to the use of prohibited substances was recorded in 1896, when English cyclist Arthur Linton died during the race Paris-Bordeaux, after taking ephedrine (Pupiš, & Korčok, 2004), and at the XVII Olympic Games in Rome in 1960, died a Danish cyclist Kurt Enamas Jansen, who, according to

experts, was taking strong doses of amphetamine derivatives and nicotinic acid from his coach. After this event, the Medical Commission of the International Olympic Committee (IOC) prepared expert analysis and material by which is at the Olympic Games in Tokyo in 1964 accepted also the first definition of doping, and only in 1975 the IOC banned the use of all forms of stimulants.

When discovered that some sportsmen/sports-women use illegal means, the entire responsibility would fall on them, and not athletes were the victims

of a deadly combination of their own desires, the case of Florence Griffith Joyner, and some ones unhealthy aspirations and ambitions. A good example is certainly the case of the East German athlete, Heidi Krieger, gold from the championship of Europe in 1986 which due to excessive intake of androgen hormones had to change her gender (in Andreas Krieger); then the athletes Ben Johnson, Marion Jones, Tim Montgomery and Tyson Gaia; Tour de France winner, Lance Armstrong, to whom were all found the use of illicit substances and all awards and medals were taken away (Hnízdil, 2000; Michalak, & Kyselovičová, 2001; CNN World Sport, 2014). The last Olympic Games in London were also marked by doping scandals of some athletes, where before the mere games were disqualified 12 athletes and to whom were seized two medals after the games (Grohmann, 2012a). This happened although before the Olympics in London were announced that half of the participants will be tested for drugs and that each competitor medalist will be subjected to testing without any notification (BBC News Online, 2012a). According to the data of officials of the World Anti-Doping Agency (WADA) from July 24, 107 athletes were sanctioned for doping in the past six months (Grohmann, 2012b). British athletes Dwain Chambers, David Millar and Carl Myerscough competed in London, after the British Arbitration Court invalidated a lifetime ban of the Olympic Committee of Britain. In addition to previous, these US athletes: Justin Gatlin, La Shawn Merritt and Yohan Blake were also competing, although they were included in previous doping cases (Grohmann, 2012a). The problem of the use of doping agents in nonprofessional athletes has its own specifics in relation to the abuse of doping in professional and elite athletes. Amateur athletes, on the one hand, are not subject to doping controls and have no fear that they will be sanctioned, while on the other hand it is not clear why they use doping when their physical and sporting achievements are not aimed at success in the brutal sports competition (Radovanović, & Mitić, 2014).

Knowledge and attitudes of the student population on the problem of doping in sport has been the subject of research by some authors (Laure, Bisinger, & Lecerf, 2003). Melia et al. (Melia, Pipe, & Greenberg, 1996) conducted a survey in five Canadian regions which included 107 schools with the aim of determining the prevalence of the use of anabolic-

androgenic steroids, their attitudes and knowledge about doping. The results showed that the higher number of them used banned substances in the year prior to the survey, and a significant number of respondents said they used other substances in an attempt to improve sport result. The results were alarming and unexpected for teachers, health and sports workers. By anonymous questionnaire Kindlundh et al. (Kindlundh, Isacson, Berglund, & Nyberg, 1998) conducted a study among high school adolescents of Uppsala in order to determine the extent of taking banned drugs in sports. The results showed that 2.7% of men and 0.4% of girls used doping at some point in their lives, and the main reason of doping they cited the improvement of physical appearance and improvement of athletic performance.

The research of use of anabolic androgenic steroids (AAS) in a random sample from five gyms conducted Kanayama et al. (Kanayama, Gruber, Pope, Borowiecki, & Hudson, 2001). They got the results that 3.5% of the total population uses AAS, of which 5.4% is the male population. Some home researchers have investigated the prevalence of AAS use on the Serbian population (Jovanović, & Radovanović, 2001). In a sample of recreational bodybuilders, there were obtained the results that 5.23% of body-builders, at least once, used the AAS. Polish author Rachon and associates (Rachon, Pokrywka, & Suchecki-Rachon, 2006) through known internet portals conducted an extensive survey during one month, in order to determine the prevention of drug use in sport among young people aged 19-20 years. The results showed that the frequency of use of AAC is higher in men than in women. Male AAS users, compared to those who did not use AAS, were often concerned about their physical appearance, less educated and often practiced some sporting activity. Among female AAS users there is no significant difference regarding the lifestyle or sports participation. However, compared to those which do not use AAS, AAS female users were less educated. The conclusion was that the use of AAS is reality in Poland and can become a serious health problem among adolescents and young adults.

In the extensive study McCabe et al. (2007) were presented the results of a national survey which showed that in the period 1993 - 2001 was a significant increase in the use of anabolic steroids among American students. Wanjek et al. (Wanjek, Rosendahl, Strauss, & Gabriel, 2007) published the results of

research conducted in 2004 in Thuringia (Germany) based on a survey of the more elementary, secondary and vocational schools. 15.1% of students had used doping, and most of them were consuming AAS, growth hormones, stimulants, cannabis, diuretics, cocaine / heroin and erythropoietin. What's more, 490 non athletes have confirmed that for 5% more they use doping, from the recreational athletes and almost three times more than the athletes. The findings suggest on the need for improvement of specific knowledge about doping among students and that their attitude towards doping must be changed.

Similar studies have been conducted in recent years by the Ukrainian authors (Bondarev, Ajitskiy, Galchinsky, Labiskir, & Friends, 2008; Bondarev, Galchinsky, Labiskir, Friends, & Ajitskiy, 2009; Bondarev, & Sirenko, 2010) who have published a national study in cooperation with the World Anti-Doping Agency (WADA). Pavlović and Pupiš (2013) have studied this subject on the population of 50 students of Physical Education and Sports of East Sarajevo, and also Pavlović & Idrizović (2013) researched that on the same sample of 100 students of Physical Education and Sports of East Sarajevo and Niksic.

The main objective of this study was to test the knowledge and identify the attitudes of high school students on the use of banned substances (drugs) in the sport. It was presumed that this population of students is not sufficiently informed and that they don't have enough knowledge about the problem of doping and all the negative consequences that the use of these substances brings. Despite that the assumption is that students have a negative perception of the use of doping in sport.

METHOD

The sample

The study included a total of 141 secondary school students (High School / Gymnasium and Tourist technicians) from Pale, male gender, age $15-19 \pm 0.5$ years. There were included the students of Class I ($n = 33$), Class II ($n = 41$); Class III ($n = 33$) and Class IV ($n = 34$). All students voluntarily participated in the survey.

Instruments and Data Processing

In accordance with the nature of the problem and the aim of the research it was applied systematically-non-experimental research method. As a way of gathering the necessary information an anonymous questionnaire (Pavlović, & Pupiš, 2013) was used with 13 clearly defined questions that were related to certain qualitative knowledge and attitudes about the use of doping agents in sport (11 closed type questions and 2 questions were open-ended type). The survey was conducted in April 2014. Results are expressed in nominal and percentage values.

RESULTS

The research results are presented in tables and graphs (representation of doping in sports). Based on the findings in Table 1 it can be concluded that the students were of approximate attitudes on issues 6 and 8, while in other matters, attitudes and opinions were divided.

Table 1. Answers to the questionnaire expressed through nominal and percentage values

QUESTIONS?		YES	%	NO	%
1.	Have you ever come in contact with doping substances?	20	14,18	121	85,82
2.	Do you know the list of banned substances and drugs?	40	28,36	101	71,64
3.	Have you ever taken the banned substance?	15	10,63	126	89,37
4.	Would you ever taken the drug to achieve personal results?	39	27,65	102	72,35
5.	Do you think that some of the current top athletes were taking drug?	122	86,52	19	13,48
6.	Have you met someone for whom you knew he was taking dope?	71	50,35	70	49,65
7.	Do you think it is right to have someone positive to doping near you?	51	36,17	90	63,83
8.	Do you think that doping controls can detect 100% athletes who took dope?	69	48,93	72	51,07
9.	Do you think there is a way to deceive the doping control tests?	93	65,95	48	34,05
10.	Are there some of the world anti-doping program to support the athletes in the country?	64	45,39	77	54,61
11.	Do you know what WADA is?	25	17,73	116	82,27
12.	Which sport do you think is the most marked by doping scandals?	Graphs 1			
13.	Which sport do you think is the least marked by doping scandals?	Graphs 2			

Although a relatively small sample is included by the research, the obtained results can be very significant. Based on the results of the survey it was obtained a realistic picture of the attitudes and knowledge of the student population about the (miss) use of doping in sport. General information of the surveyed students in terms of knowledge about doping is very modest. In the opinion of 87% of all students surveyed some of today's best athletes still took doping substance, and 50% of the respondents had met

someone who used doping. Even 64% of students believe that the person tested positive for doping is not desirable in their vicinity. As for the anti-doping controls, 49% of respondents had an attitude that controls may reveal athlete who used doping and 66% of students believe that they still somehow can cheat doping tests. With the support of anti-doping programs to support athletes in the country is familiar only 45% of students and over 82% of students do not know the term WADA.

Graph 1. Sports that are largely marked by doping scandals

Graph 2. Sports that are least often marked by doping scandals

Graphs 1 and 2 represent the attitudes of respondents about sports that are most marked by doping scandals and those that are least marked by doping scandals. It can be said that it was expected that doping most marked athletics (31%), cycling (23%) and sports games (21%), which contributed that these sports are often in the focus of media public, as they

are the sports that make $\frac{1}{4}$ of sports that are marked by some doping scandals (Graph. 1). Also the sports that are stated are martial arts, body building, tennis, swimming and winter sports (under 6%).

The least marked sports by doping scandals are sports games (32%), golf (13%), tennis (11%), water polo (10%), and so on. Other sports are below 10%,

and sport that is least marked by doping scandals, students listed bowling and shooting 3% (Graph 2).

DISCUSSION

The research was aimed to verify the knowledge and identify the attitudes of high school students on the use of banned substances (drugs) in the sport. It was presumed that this population of students are not sufficiently informed and that they don't have enough knowledge about the problem of doping and all the negative consequences that the use of these substances brings. What is evident is the fact that doping is becoming increasingly common in professional and elite sport, at various European and world championships and at the Olympics, and even among the school population. It was expected that the IOC and international sports federations, by educational programs, testing, and supporting treatment, succeed to reduce substance abuse. However, that this did not meet expectations, is the fact that there are now newer, more powerful and unrecognizable doping substances and techniques abused by professional, often top athletes, and that also more sophisticated distribution networks have been developed (Baron, Martin, & Magd, 2007). In addition to the spirit of sport, which is nowadays neglected, regardless which rank of the competition is in question, the participants all over, are subject to the use of banned stimulants, fraud and deception in order to reach this ultimate goal and doing that they consciously risk his own life and future (Pavlović, & Pupiš, 2013).

The results of this study provided some information on the attitudes and knowledge of high school students about the problem of doping in sport. The research can be significant due to the population covered by the survey, because it is about young population, current or future athletes, subjects in the field of sport to which primarily imperative is victory, and in the second plan their health and education on this issue. Very often, professional athletes are role models for adolescents and young adults, who often imitate their behavior, including drug abuse (Baron, et al., 2007).

Compared to the results of this research among high school students, who may not yet be alarming, because, for example, the research of Yesalis et al.

(Yesalis, Michael, & Bahrke 2000) show that 3-12% of adolescents' men and 1-2% of adolescent women admitted they use AAS at some point during their lives. Comparing the results of this research with the research of (Pupiš & Polgar, 2006; Pavlović, & Pupiš, 2013; Pavlović, & Idrizović, 2013) which dealt with the same problem on the population of students of physical education and sport, it can be concluded that these results are in contrast with the results of this research. Students had the same attitude on the issue of doping from some of the current top athletes, stating that they all at least once took doping during their career and so achieved the best result. Such attitudes of students are in partial contrast with the results of high school students, where 14% of students thought that the best athletes did not take doping for the achievement of results. Likely cause of this thinking of students is lack of information regarding the consumption of doping in sport and the negative consequences that it carries. The importance of the problem of doping is based on several facts, and above all on the harmful effects on individual organ systems caused by the use of doping substances (Mougios, 2001; Pärssinen, & Sepapala, 2002; Payne, Kotwinski, & Montgomery, 2004; Hartgens, & Kuipers, 2004; Dhar, Stout, Link, Homoud, Weinstock, & Estes 2005, Deligiannis, Björnstad, Carre, Heidbüchel, Kouidi, & Panhuyzen-Goedkoop, 2006; Hasson, Salem, & Sayed, 2009).

According to this survey, only 14.18% came in direct contact with a prohibited substance, and almost 86% of the students had never been in contact with any of the prohibited doping substance (Table 1). Nearly identical results were obtained by Wanjek et al. (2007) where 15% of students also used the banned doping. Unlike research of Melia et al. (1996), and Rachon et al. (2006), whose results were alarming and required urgent preventive measures, our respondents are still within the limits of tolerance, or they are still passive when it comes to the use of prohibited substances, which is good. In recent years there has been a rise in the number of non-professional athletes and younger population who use doping (Michalák, & Kyselovičová, 2001; Erhnborg, & Rosen, 2009). The extra concern gives the data on the age of the users of doping, which says that among young athletes aged 10-15 years, the percentage of users of doping is 0.7% (Wroble, Gray, & Rodrigo, 2002) and that the first contact with AAC usually occurs between 12 and 13

years (Kokkevi, Fotiou, Chile, Nociar, & Miller, 2008) which is very alarming.

Unlike research of Pavlović and Idrizović (2013) where 32% of respondents came into direct contact with doping, the results of this study confirmed the opposite. A substantial majority of high school students have a negative attitude towards doping, and therefore shows that the doping is unwanted substance that should not be consumed. It should also be taken into account the fact that nearly 72% of them do not know the list of prohibited substances and drugs, which probably represents a problem because education on doping is insufficient, and it is poorly represented in schools. It is necessary to enter into certain bilateral agreements with the parent Anti-Doping Agency of Bosnia and Herzegovina that would preventively educate students about the unwanted consequences of the use of doping agents. Lack of information on the harmful effects of doping does not just happen to us and we can say that this is not surprising. There are data that show that sometimes the awareness of doctors, general practitioners who perform testing of athletes is at an insufficient level, regarding that they are not familiar with the restricted products as well as the negative effects of the use of doping products (Laure, et al., 2003).

A high percentage (over 89%) of survey respondents had never used banned substances, only 10.63% of them had taken some banned substance. It can be noted that this data is encouraging, and the percentage of doping is negligible in comparison with similar studies (Rachon, et al., 2006; Kokkevi, et al., 2008; Erhnborg, & Rosen, 2009). Given that this is high school students, the figure of 10% who consumed doping is somewhat expected, if we take into account the environment protection, social maturation, the desire to prove themselves in the social environment, the improvement of physical appearance and improvement of sport performances (Kindlundh, et al., 1998). However, the problem is the 10% of those who have already consumed an illicit substance, probably (not) aware of the potential consequences due to lack of information about the harmful effects of doping, (Pärssinen, & Sepapala, 2002; Payne, et al., 2004; Hartgens, & Kuipers, 2004; Dhar, et al., 2006; Hasson et al., 2009). Results of this study are different from the results of previous studies of this kind which used a sample of students (Melia, et al., 1996; Wanjek, et al., 2007; Bondarev, et al. 2008, 2009; Pavlović, & Idrizović, 2013).

More than half of the respondents (72%) had a negative attitude about the possible use of banned substances to achieve personal results and 28% of them supported the use of banned substances. It is very important that the majority of high school students have a negative attitude on this issue and does not support taking any banned substances. This attitude is in contrast to the views of Italian high school students who have demonstrated significantly higher intention to use doping and a stronger belief that others will support them (Lucidi, Zell, Mallia, Grano, Russo, & Violan, 2008).

The problem is very often in the personality of an athlete who is dissatisfied with the performance and progress, strongly expressed desire to achieve top results, followed by huge salaries, popularity and reputation, the belief that others are using the same or similar substances as well as the lack of knowledge about the unwanted effects of doping (Petróczy, 2007).

An interesting fact is the attitude of all respondents included in this research (nearly 87%) who believe that some of the current top athletes were taking some sort of banned substances. This confirms the assumption that is the negative perception of doping in elite and professional sport in this young population, where the vast majority is engaged in some sport. Nearly identical results were obtained by other authors (Pupiš, & Polgar, 2006; Bondarev, & Sirenko, 2010; Pavlović, & Idrizović, 2013).

About knowing that someone was taking doping, thought of the students were divided. Even 50% of students met someone who was taking and using doping, which means that they are in some way familiar with the effects of these substances usually through their friends or acquaintances, and 50% have never met a person for whom they knew that used prohibited substances. Something different attitude they had about whether it is right to have someone who is positive to doping in their vicinity. Of the total number of students, 64% is against such a person to be found in their vicinity and 36% approve this, which shows a certain degree of tolerance for doping in sport. Yet, more than half of the surveyed students do not show or approve the use of doping in sport, which is very important. One result that might be interesting was obtained in terms of reliability of testing on doping and possible fraud. In answering this question, 51% of respondents believe that dop-

ing controls can not always detect athlete who used doping and 49% of them considered that this is possible. The obtained results coincide with the results of research (Pavlović, & Pupiř, 2013). More than half of the respondents (66%) believe that there are ways to fraud tests for doping control which is identical to the results of research Idrizović and Pavlovic (Pavlović, & Idrizović, 2013). This percentage indicates that there is still among the students a dilemma about the reliability of the anti-doping controls and their implementation.

On the question of whether there is in the country some of the anti-doping program to assist athletes, the higher half of the sample (55%) were not aware that in their country there is some of the world anti-doping program to support the athletes, in terms of continuing education, seminars, conferences, etc., which is in contrast with previous research (Pupiř, & Polgar, 2006), and 45% of them are familiar with these agencies at the state level. This data only shows that the knowledge of this population is insufficient and it is necessary to conduct further education in this matter. In terms of sport, this is most marked by doping scandals (Graph 1) in the first place, high school students nominated athletics and cycling. The obtained results coincide with the results of Slovak authors (Pupiř, & Polgar, 2006), which also nominated athletics and cycling, with a significantly higher percentage, as leaders in doping scandals. Generally speaking, here is about individual sports, where the assumption is that cycling and athletics are identified mainly with the constant media attention and athletes in this group who are most often part of doping control. On the other hand, the power of sports associations which generally perceive as sports in which doping is too often used (Wilson, 2012). As sports least „infected”, most responses of the students related to sports games, golf and tennis, even if the poll question was not directed specifically for sports, group of sports (Graph 2). In the study of Pupiř and Polgar (2006) the sports games, with 66%, are also marked as a sport that is least infected with drugs, as opposed to research of Idrizović and Pavlović (2013) where sports games are not among the sports fields that are least „infected” with drugs, but some other sports took that place (Pavlović, and Pupiř, 2013).

How much are the results of the survey on the population of secondary school students encouraging also confirm the obtained results of research, es-

pecially when compared to similar, which also had for the problem the use of doping substances in sport (Melia, et al., 1996; Kindlundh, et al., 1998; Laure, et al., 2003; Rachon, et al., 2006; Wanjek, et al., 2007; Bondarev, et al., 2009).

In order to maintain this mindset of students in a positive trend, it is very important to fight against doping, by all possible means. It is necessary to advocate for education since the beginning of organizing sports and all sports sections in schools. Therefore, in young people, especially schoolchildren, should develop as much as possible awareness of the harmful effects of doping on the human organism, the organism limits and the limits of endurance, through which one must not go. Current strategy to address the increasing use of doping by adolescents is multi-purposed and primarily involves education and prevention, prohibition and anti-doping testing. If doping does not cease to be a dark side of sport, then sport in every respect will completely lose all meaning, although largely already is, and will become merely a branch of production, business, the pharmaceutical companies market and nothing more, and active participants of doping will become their victims, regardless of the population in question.

CONCLUSION

The results of this study can be accepted as a global indicator of awareness, perception, knowledge and attitudes of high school students about the problem of today's modern sports. They may be relevant to the wider community. General information of students in terms of knowledge about doping is very modest. Compared to research on pupils and students (Melia, et al., 1996; Rachon, et al., 2006; Pupiř & Polgar, 2006; Pavlović, & Idrizović, 2013, Pavlović, & Pupiř, 2013), attitudes and knowledge about some of the issues are diametrically opposed. As expected, students believe that doping most marked the athletics, cycling and sports games, which contributed that these sports are often in the focus of media public. Stated are also martial arts, bodybuilding, tennis, swimming and winter sports. The least marked sports by doping scandals stated are sports games, golf, tennis, water polo, etc. Based on the results, particularly those 14% who have come into contact with, 10-11% of which have already

taken a banned substance and 28%, which would take a prohibited substance for personal results is "warning". Therefore, more information and sports awareness is needed among young people, sports schools and sports clubs about the damaging effects of doping to the health of athletes. The obtained results of students in terms of attitudes about the use of doping, knowledge and awareness about the negative effects of doping justify further similar studies. It is perhaps this student population the future of the sport and therefore requires additional education on this issue. Measures that may be useful are: presentation of anti-doping programs to young people (in schools and sports clubs), with the promotion of the spirit of sport in order to create an environment that strongly supports the sport without doping and has a positive and

long-term impact on the choices athletes and other persons make; presentation of such programs to other categories as well, that may affect young people - parents, coaches, adult athletes, sport officials, medical personnel and also to the media; establishing a connection with the state sector, responsible for formal education, for the systemic involvement of anti-doping content in school curricula, (independent and, for use, simple materials that do not require any kind of additional teacher training - activities of reading in language classes, scientific facts relating to doping in physical education classes, discussions about morality and ethics in sport associated with doping in civic education classes, etc.); introduction of legislation in relation to doping (Mandarić, & Delibašić, 2014). All this implies good cooperation with the current state anti-doping agencies.

REFERENCES

- Baron, A.D., Martin, D.M., & Magd, S.A. (2007). Doping in sports and its spread to at-risk populations: an international review. *World Psychiatry*, 6(2), 118–123.
- BBC (15.07.2012). London 2012: All medallists to be drugs tested at Olympics. BBC News Online. Retrieved 28.07.2012, from <http://www.bbc.co.uk/sport/0/olympics/1884957>.
- Bondarev, D.V., Ajitskiy, K.Y., Galchinsky, V.A., Labiskir, V.M., & Druz, V.A. (2008). Attitude towards doping of Sports students and students of Polytechnic Sciences. *Journal of Pedagogic, Psychology and Medico-Biologic Problems of Physical Training and Sport*, (5), 18–24.
- Bondarev, D.V., Galchinsky, V.A., Labiskir, V.M., Druz, V.A., & Ajitskiy, K.Y. (2009). Doping prevalence and knowledge among high school students. *Proceedings of the International scientific conference Actual problems of developing Sport for All*, (pp. 293–295). Ternopil.
- Bondarev, D.V., & Sirenko, R.R. (2010). Doping amongst students: Knowledge, Attitude, Behaviour. *Proceedings of the 1-st scientific conference Physical Education and Sport Improving among Sevastopol Youth*, (pp.10–25). Sevastopol: Sevastopol National Technical University and World Anti-Doping Agency.
- CNN World Sport (05.02.2014). Sprinting star Tyson Gay gets reduced one-year doping ban. News Online. Retrieved 08.02.2014, from <http://edition.cnn.com/2014/05/02/sport/athletics-gay-one-year-ban/>.
- Dhar, R., Stout, C.W., Link, M.S., Homoud, M.K., Weinstock, J., & Estes, N.M. (2005). Cardiovascular toxicities of performance-enhancing substances in sport. *Mayo Clinic Proceedings*, 80 (10), 1307–1315.
- Deligiannis, A., Björnstad, H., Carre, F., Heidbüchel, H., Kouidi, E., Panhuyzen-Goedkoop, N.M. (2006). ESC study group of sports cardiology position paper on adverse cardiovascular effects of doping in athletes. *European Journal of Cardiovascular Prevention & Rehabilitation*, 13(5), 687–694.
- Ernhborg, C., & Rosen, T. (2009). The psychology behind doping in sport. *Growth Hormone & IGF Research*, 19, 285–287.
- Grohmann, K. (07.11.2012a). Doping-IOC strips Uzbek wrestler of Olympic bronze. Reuters. Retrieved 04.08.2012, from <http://www.reuters.com/article/2012/117077us-doping-olympics-wrestler-idUSBRE8A617120121107>.
- Grohmann, K. (24.07.2012b). Testers nab more than 100 athletes-WADA. Reuters. Retrieved

- 04.08.2012, from <http://www.reuters.com/London-olympics-2012/articles72012/07/247testers-nab-more-100-athletes-prior-london-wada>.
12. Hartgens, F., & Kuipers, H. (2004). Effects of androgenic-anabolic steroids in athletes. *Sports Medicine*, 34(8), 513–554.
13. Hasson, N., Salem, M., & Sayed, M. (2009). Doping and effect of anabolic androgenic steroids on the heart: histological, ultrastructural, and echocardiographic assessment in strength athletes. *Human & Experimental Toxicology*, 28(5), 273–283.
14. Hnizdil, J. (2000). *Doping aneb zákulisí vrcholového sportu* [Doping or backstage top sport. In Slovak]. Praha: Grada Publishing.
15. Jovanović, D., & Radovanović, D. (2001). *Doping i sport* [Doping and sport. In Serbian]. Niš: Roller print.
16. Kindlundh, A.M., Isacson, D.G., Berglund, L., Nyberg, F. (1998). Doping among high school students in Uppsala, Sweden: A presentation of the attitudes, distribution, side effects, and extent of use *Scandinavian Journal of Public Health*, 26(1), 71–74.
17. Kanayama, G., Gruber, A.J., Pope, H.G., Jr., Borowiecki, J.J., & Hudson, J.I. (2001). Over-the-counter drug use in gymnasium: an unrecognized substance abuse problem? *Psychoter Psychosom*, 70(3), 137–140.
18. Kokkevi, A., Fotiou, A., Chileva, A., Nociar, A., & Miller, P. (2008). Daily exercise and anabolic steroids use in adolescents: a cross-national European study. *Substance Use and Misuse*, 43(14), 2053–2065.
19. Laure, P., Binsinger, C., & Lecerf, T. (2003). General practitioners and doping in sport: attitudes and experience. *British Journal of Sports Medicine*, 37, 335–338.
20. Lucidi, F., Zelli, A., Mallia, L., Grano, C., Russo, M.P., & Violani, C. (2008). The social-cognitive mechanisms regulating adolescents' use of doping substances. *Journal of Sports Sciences*, 26(5), 447–456.
21. Mandarić, S., & Delibašić, V. (2014). Sankcionisanje dopinga u sportu [Sanctions for doping in Sport. In Serbian]. *Physical culture*, 68(1), 39–49.
22. McCabe, E.S., Brower, K.J., Brady, T., West, B.T., Toben, F., Nelson, T.T., Wechsler, H. (2007). Trends in non-medical use of anabolic steroids by U.S. college students: Results from four national surveys. *Drug Alcohol Depend*, 90(2-3), 243–251.
23. Melia, P., Pipe, A., Greenberg, L. (1996). The use of anabolic-androgenic steroids by Canadian students. *Clinical Journal of Sport Medicine*, 6(1), 9–14.
24. Michalák, K., and Kyselovičová, O. (2001). Užívanie anabolík počas kondičného tréningu rekreačne športujúcich mužov [Taking anabolic steroids during conditioning training recreational athletes. In Slovak]. *Telesná výchova a šport*, 11(2), 17–21.
25. Mougios, V. (2001). Doping abuse in recreational sports. In C. Peters, T. Schulz., & H. Michina (Eds.), *Biomedical side effects of doping* (pp.183–191). Bonn: Bundesinstitut für sportwissenschaft.
26. Pupiš, M., & Polgar, V. (2006). Znalosti športujúcej mládeže o dopingu a možnosti dopingovej prevencie [Knowledge sportmen youth of doping and possible doping prevention. In Slovak] In: *Proceedings of the International Scientific Seminar of Doctoral Candidates: a humanistic form of sport and physical education*, (pp. 46). Bratislava: UK FTVŠ.
27. Pupiš, M., & Korčok, P. (2004). Vytrvalostný šport a doping [Endurance sport and doping. In Slovak]. *Slovenská chôdza*, 8(4), 36.
28. Parssinen, M., & Sepäälä, T. (2002). Steroid use and long-term health risk in former athletes. *Sports Medicine*, 32(2), 83–94.
29. Payne, J.R., Kotwinski, P.J., & Montgomery, H.A. (2004). Cardiac effects of anabolic steroids. *Heart*, 90, 473–475.
30. Pavlović, R., & Pupiš, M. (2013). Student attitudes and knowledge of physical education and Sports on use doping in sport. *Sport Science*, 6(2), 21–28.
31. Pavlović, R., & Idrizović, K. (2013). Attitudes of students of physical education and sports about doping in sport. *FACTA UNIVERSITATIS Series: Physical Education and Sport*, 11(1), 103–113.
32. Petroczi, A. (2007) Attitudes and doping: A structural equation analysis of the relationship between athletes' attitudes, sport orientation and doping behaviour Substance Abuse: *Treatment, Prevention, and Policy*, 2(1), art. no. 34

33. Rachoń, D., Pokrywka, L., & Suchecka-Rachoń, K. (2006). Prevalence and risk factors of anabolic-androgenic steroids (AAS) abuse among adolescents and young adults in Poland. *International Journal of Public Health*, 51(6), 392–398.
34. Radovanović, D., & Mitić, P. (2014). Problem korišćenja doping u neprofesionalnom sportu [The problem of the use of doping in nonprofessional sport. In Serbian] In D.Radovanović., N.Ponorac (eds.), *Doping i antidoping*. (45–60). Fakultet sporta i fizičkog vaspitanja Niš: Mediavest.
35. Wanjek, J.B., Rosendahl, B., Strauss, H., & Gabriel, H (2007). Doping, Drugs and Drug Abuse among Adolescents in the State of Thuringia (Germany): Prevalence, Knowledge and Attitudes. *International Journal of Sports Medicine*, 28(4), 346–353.
36. Wroble, R.R., Graay, M., & Rodrigo, J.A. (2002). Anabolic steroids and preadolescent athletes: prevalence, knowledge and attitudes. *Sport Journal*, 5(3), 1–8.
37. Wilson, S.(13.08.2012). Belarus shot putter stripped of Olympic gold. Associated Press. Retrieved 11.10.2012, from <http://www.canada.com/sporta/all/Belarusian+shot+putter+Nadzeja+Ostapshuk+stripped+Olympic+gold+medal/7082246/story.html>.
38. Yesalis, C.E., Michael, S., & Bahrke, M.S. (2000). Doping among adolescent athletes. *Best Practice & Research Clinical Endocrinology & Metabolism*, 14(1), 25–35.

PERZEPTION, EINSTELLUNG UND WISSEN VON MITTELSCHÜLERN ÜBER DIE VERWENDUNG UNERLAUBTER STIMULIERENDER MITTEL IM SPORT

Zusammenfassung:

Das Problem der Verwendung von unerlaubten Substanzen (Doping) im Sport war, ist und wird ein aktuelles Problem sein, dass dem Geist des Sportes, der Schönheit und der Freude, oft auch der Gesundheit der Sportler in großem Maße zusetzt. Aus diesem Grunde ist es unumgänglich, sich mit der dauerhaften Lösung dieses Problems zu beschäftigen, auch wenn dies manchmal nicht durchführbar ist. Das Konzept dieser Untersuchung soll einen Einblick in die Einstellung und Perzeption der Schüler über die Verwendung von Doping im Sport bzw. über ihre Informiertheit über dieses moderne Phänomen im Rahmen des Sports ermöglichen. An der Untersuchung nahmen insgesamt 141 Schüler männlichen Geschlechts im Alter von 15-19 +/- 0,5 Jahren aus verschiedenen Mittelschulen (Gymnasium und Techniker des Tourismus) teil. Das Grundziel der Untersuchung war es, die Wissensebene der Schüler zu überprüfen und ihre Einstellung zur Verwendung von unerlaubten Substanzen im Sport festzustellen. Für die Sicherstellung der benötigten Informationen wurde ein anonymer Fragebogen mit 13 klar definierten Fragen (11 geschlossene und 2 offene Fragen) verwendet, die sich auf ein bestimmtes Wissen und eine Einstellung in Bezug auf Doping im Sport bezogen. Es wurden relevante Ergebnisse gewonnen, die einen globalen Indikator der Informiertheit, des Wissens und der Einstellung der Schüler in Mittelschulen über ein immer größeres Problem des heutigen modernen Sports – das Doping – darstellen. 75% der Schüler bezeichneten Athletik, Radsport und Sportwettbewerbe als Sportarten die in größtem Maße von „Dopingaffären“ gekennzeichnet wurden. 56% der Schüler führten Tennis, Sportwettbewerbe und Golf als diejenigen Sportarten mit der mindesten Anzahl von „Dopingaffären“ an.

Schlüsselwörter: PHARMAKOLOGISCHE MITTEL / GESUNDHEITZUSTAND / FOLGEN / PRÄVENTION / BILDUNG

Received: 10.09.2014.

Accepted: 13.01.2015.