KOLIKO NAS JE PANDEMIJA KOVID-19 PROMENILA? ISKUSTVA KLINIKE ZA PSIHIJATRIJSKE BOLESTI „DR LAZA LAZAREVIĆ“

PRIKAZ SLUČAJA

CASE REPORT

HOW MUCH HAS THE COVID-19 PANDEMIC CHANGED US? THE EXPERIENCE OF THE CLINIC FOR MENTAL DISORDERS "DR LAZA LAZAREVIĆ"

Ivana Stašević Karličić^{1,2}

¹ Klinika za psihijatrijske bolesti „Dr Laza Lazarević“, Beograd

¹ Clinic for Mental Disorders "Dr Laza Lazarević", Belgrade

² Medicinski fakultet, Univerzitet u Prištini - sa privremenim
sedištem u Kosovskoj Mitrovici

² Faculty of Medicine, University of Priština - with a temporary seat in
Kosovska Mitrovica

SAŽETAK

U cilju očuvanja i unapređenja javnog zdravlja, vodeći se preporukama Svetske zdravstvene organizacije (SZO), Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ je, u saradnji sa Ministarstvom zdravlja Republike Srbije, izradila strategiju zaštite mentalnog zdravlja stanovništva tokom pandemije KOVID-19 oboljenja. U ovom radu ukratko su prikazane neke konkretne aktivnosti koje je Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ sprovela tokom aktuelne KOVID-19 pandemije.

Ključne reči: KOVID-19 pandemija, javno zdravlje, zaštita mentalnog zdravlja, strategija, psihijatrijske bolesti, Srbija.

ABSTRACT

In order to preserve and improve public health, guided by the recommendations of the World Health Organization (WHO), the Clinic for Mental Disorders *Dr Laza Lazarević*, in cooperation with the Ministry of Health of the Republic of Serbia, developed a strategy for mental healthcare during the COVID-19 pandemic. This paper briefly presents some specific activities that the Clinic for Mental Disorders *Dr Laza Lazarević* has carried out during the current COVID-19 pandemic.

Keywords: COVID-19 pandemic, public health, mental healthcare, strategy, mental disorders, Serbia.

Autor za korespondenciju:
Ivana Stašević Karličić
Klinika za psihijatrijske bolesti „Dr Laza Lazarević“
Višegradska 26, 11000 Beograd
E-mail: ivanastasevic73@gmail.com

Corresponding author:
Ivana Stašević Karličić
Clinic for Mental Disorders "Dr Laza Lazarević", Belgrade
26 Višegradska Street, 11000 Belgrade, Serbia
E-mail: ivanastasevic73@gmail.com

Primljeno • Received: July 28, 2021;

Revidirano • Revised: August 9, 2021;

Prihvaćeno • Accepted: August 11, 2021;

Online first: September 30, 2021.

DOI: 10.5937/smcl2-33326

UVOD

Sve zemlje sveta su trenutno pogođene pandemijom izazvanom novim korona virusom označenim kao SARS-KoV-2 [1]. Prvi slučajevi infekcije SARS-KoV-2 virusom registrovani su krajem 2019. godine u provinciji Hubej, u Narodnoj Republici Kini, i inicijalno su opisivani kao atipične pneumonije nepoznate etiologije [2]. Od tada je širom sveta od ove bolesti obolelo više od 187 miliona ljudi, dok je preko 4 miliona preminulo [3].

Za sada nema istraživanja koja jasno upućuju na povećanje učestalosti mentalnih poremećaja tokom aktuelne pandemije. Ipak, epidemija je povezana sa povećanom izloženošću ljudi faktorima rizika za oboljevanje, tako da je neophodno dalje praćenje njenog uticaja na mentalno zdravlje. Ponavljana, dobro dizajnirana istraživanja su važna radi praćenja potreba populacije, kako bi se dostupni resursi preusmerili u one delove sistema za zaštitu mentalnog zdravlja koji trpe najveći pritisak [4,5-9].

U cilju očuvanja i unapređenja javnog zdravlja, vodeći se preporukama Svetske zdravstvene organizacije (SZO), Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ je, u saradnji sa Ministarstvom zdravlja Republike Srbije, izradila strategiju zaštite mentalnog zdravlja stanovništva tokom pandemije KOVID-19 oboljenja [10]. Od samog početka epidemije, Klinika preduzima brojne aktivnosti koje se odnose na unapređenje mentalnog zdravlja stanovništva Republike Srbije, poput primene telemedicine, imunizacije protiv KOVID-19 oboljenja, savetodavnog rada sa građanima, sprovođenja javno zdravstvenih kampanja, treninga i radionica, itd. U ovom radu će ukratko biti prikazane neke konkretne aktivnosti koje je Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ sproveda tokom aktuelne pandemije KOVID-19 infekcije.

TELEMEDICINA

Pod telemedicinom se podrazumeva pružanje zdravstvenih usluga putem informacionih i telekomunikacionih tehnologija, bez obzira na to gde se geografski nalaze davalac zdravstvene usluge, pacijent, medicinska informacija ili oprema [11].

Tokom pandemije KOVID-19, počela je masovna primena telemedicine u skoro svim granama medicine, kako bi se omogućilo pružanje medicinskih usluga uz poštovanje epidemioloških mera, te osigurala pomoć i podrška osetljivim populacijama [12]. Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ je, u saradnji sa Ministarstvom zdravlja Republike Srbije, započela uvođenja telemedicine u svrhu zaštite mentalnog zdravlja, već početkom 2019. godine, kada je na Klinici otvorena besplatna Nacionalna linija za prevenciju samoubistva.

INTRODUCTION

At present, all countries in the world are stricken by the pandemic caused by the new corona virus named SARS-CoV-2 [1]. The first cases of infection with the SARS-CoV-2 virus were registered at the end of 2019, in the Hubei province of the People's Republic of China and were initially described as atypical pneumonias of unknown etiology [2]. Since then, more than 187 million people have been infected worldwide and over 4 million have died from this disease [3].

As yet, there are no studies clearly indicating the increase of the frequency in mental disorders during the ongoing pandemic. However, epidemics are linked to higher exposure of people to risk factors for mental disease, which is why it is necessary that the impact of the pandemic on mental health should be further monitored. Repeated, well designed studies are important for monitoring the needs of the population, in order to direct available resources to those parts of the mental healthcare system which are under the greatest pressure [4,5-9].

For the purpose of preserving and improving public health, guided by the recommendations of the World Health Organization (WHO), the Clinic for Mental Disorders *Dr Laza Lazarević* has, in cooperation with the Ministry of Health of the Republic of Serbia, designed a strategy for population mental healthcare during the COVID-19 pandemic [10]. Since the very beginning of the epidemic, the Clinic has been carrying out numerous activities related to the improvement of the mental health of the Republic of Serbia population, such as the application of telemedicine, COVID-19 immunization, counselling activities for citizens, the implementation of public health campaigns, training, workshops, etc. This study will briefly present some of the specific activities that the Clinic for Mental Disorders *Dr Laza Lazarević* has carried out during the ongoing COVID-19 pandemic.

TELEMEDICINE

Telemedicine is the provision of health services by means of information and telecommunications technologies, regardless of the geographic location of the health service provider, the patient, medical information, or medical equipment [11].

During the COVID-19 pandemic, mass application of telemedicine began in almost all branches of medicine, with the aim of providing medical services to patients and support to vulnerable groups, while at the same time enabling the enforcement of epidemiological protective measures [12]. The Clinic for Mental Disorders *Dr Laza Lazarević*, in cooperation with the Ministry of Health of the Republic of Serbia, started introducing

Sa pojavom prvih slučajeva KOVID-19 infekcije u Republici Srbiji, Ministarstvo zdravlja Republike Srbije je na Klinici, 16. marta 2020. godine, otvorilo i besplatnu Nacionalnu liniju za pružanje psihosocijalne podrške u uslovima epidemije KOVID-19 oboljenja. Prateći preporuke Svetske zdravstvene organizacije, 15. maja 2021. godine je otvorena i linija „Kako si?“, namenjena adolescentima, njihovim roditeljima, ali i drugima koji se direktno ili indirektno susreću sa problemima mentalnog zdravlja, u ovom posebno osetljivom periodu života. U cilju centralizacije, pomenute linije su, 15. maja 2021. godine, objedinjene u jedinstveni besplatni servis za zaštitu mentalnog zdravlja Ministarstva zdravlja Republike Srbije i Klinike za psihijatrijske bolesti „Dr Laza Lazarević“, na broju 0800/309-309, čijim pozivanjem korisnici mogu odabrati jednu od tri ponuđene opcije, odnosno vrste psihološke pomoći. Linija je na raspolaganju građanima 24 časa dnevno, svakog dana, tokom cele godine. Do sada je na ovaj način realizovano preko 30.000 intervencija.

Podršku, savetodavni rad, kratke psihoterapijske (krizne) intervencije, kao i preporuke u vezi sa već propisanom farmakoterapijom, pružaju obučeni zdravstveni radnici i saradnici Klinike, čiji rad kontinuirano nadziru edukovani psihoterapeuti.

IMUNIZACIJA PROTIV KOVID-19 INFEKCIJE

Osobe sa mentalnim smetnjama predstavljaju populaciju koja je pod visokim rizikom od povećanog morbiditeta, ali i mortaliteta od KOVID-19 oboljenja [13], što se dovodi u vezu sa povećanom zastupljenošću gojaznosti, metaboličkih i kardiovaskularnih poremećaja kod ove osetljive grupe [14]. Dokazano je da osobe sa mentalnim poremećajima, a prvenstveno oni koji pate od shizofrenije, žive i 15 do 20 godina kraće nego opšta populacija [15]. Ovo je posebno značajno za osobe koje se nalaze na bolničkom lečenju, odnosno u uslovima gde je povećan rizik od zaražavanja virusom SARS-KoV-2, zbog neizbežnih kontakata sa drugim pacijentima, ali i medicinskim osobljem [16]. Stoga, brojni autori smatraju da se osobama sa mentalnim smetnjama mora obezbediti rani pristup imunizaciji protiv KOVID-19 infekcije [13,17-19].

Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ je, već početkom marta 2021. godine, u saradnji sa Gradskim zavodom za javno zdravlje Beograd, započela sa imunizacijom pacijenata na odeljenjima za produženo lečenje i psihosocijalnu rehabilitaciju, nakon čega je usledila imunizacija i ostalih zainteresovanih pacijenata na stacionarnom lečenju, naravno, tek nakon potpisivanja informisane saglasnosti. Po dobijanju odobrenja Zdravstvene inspekcije Ministarstva zdravlja Republike Srbije, i u saradnji sa Institutom za javno

telemedicine into mental healthcare in early 2019, when the free National Helpline for Preventing Suicide was established at the Clinic. When the first cases of COVID-19 were registered in the Republic of Serbia, the Ministry of Health of the Republic of Serbia also opened the free National Helpline for Psychosocial Support during the COVID-19 Pandemic. The helpline was opened at the Clinic on March 16, 2020. In keeping with WHO recommendations, the helpline *How are you doing?* was also opened for adolescents, their parents, but also other individuals who are directly or indirectly facing mental health issues in this particularly sensitive period of life. For the purpose of centralization, the abovementioned helplines were joined, on May 15, 2021, into a unified free service for mental healthcare of the Ministry of Health of the Republic of Serbia and the Clinic for Mental Disorders *Dr Laza Lazarević*. By calling the number: 0800/309-309, users can choose one of three options, i.e., one of the three types of psychological support offered. The helpline is available to citizens 24 hours a day, every day, during the entire year. In this way, more than 30.000 interventions have been carried out so far.

Support, counseling, short psychotherapy (crisis) interventions, as well as recommendations related to already prescribed medication, are offered by qualified health workers and consultants of the Clinic, whose work is continuously monitored by trained psychotherapists.

IMMUNIZATION AGAINST COVID-19

Persons with mental health problems are a population at high risk of increased morbidity, but also mortality form the COVID-19 disease [13], which fact has been linked to a higher rate of obesity, as well as metabolic and cardiovascular disorders in this vulnerable group [14]. It has been proven that persons with mental disorders, primarily those suffering from schizophrenia, have a 15 to 20 years lower life expectancy than the general population [15]. This is especially important for inpatients, who find themselves in conditions carrying a higher risk of SARS-CoV-2 infection, due to unavoidable contact with other patients, but also with medical staff [16]. Therefore, numerous authors believe that persons with mental health problems should be provided early access to immunization against COVID-19 [13,17-19].

In cooperation with the Belgrade City Institute for Public Health, the Clinic for Mental Disorders *Dr Laza Lazarević* started immunizing its patients as early as the beginning of March 2020, on the hospital wards for continued treatment and psychosocial rehabilitation. Subsequently, all other interested inpatients were also immunized, however, only after signing an informed consent form. Upon receiving the approval of the Health Inspec-

zdravlje Srbije „Dr Milan Jovanović Batut“, na Klinici je otvoren vakcinalni punkt za osobe sa mentalnim smetnjama i njihove porodice, zaposlene u zdravstvenom sistemu i druge građane. Na Klinici su na raspolaganju vakcine Astra-Zeneca, Pfizer i Sinopharm. Klinika će i u narednom periodu nastaviti sa aktivnom imunizacijom protiv KOVID-19 infekcije i time dati doprinos postizanju kolektivnog imuniteta, koji je Vlada Republike Srbije označila kao prioritet u borbi protiv aktuelne pandemije.

RAD SA ZAPOSLENIMA U SISTEMU ZDRAVSTVENE ZAŠTITE

Sindrom sagorevanja na poslu kod zdravstvenih radnika nije nova pojava. Svakodnevna briga o tuđem životu i zdravlju, kao i velika odgovornost i potreba za stalnim usavršavanjem, jesu neki od faktora koji zdravstvene radnike svrstavaju u grupu predisponiranu za razvoj ovog sindroma. Rizik od zaražavanja, socijalna izolacija, ekonomske konsekvence, opterećenost povećanim obimom posla i nedostatak satisfakcije zbog brojnih loših ishoda bolesti, jesu dodatni faktori povezani sa pandemijom koji su doveli do još većeg rizika od nastanka sindroma sagorevanja kod ove grupe zaposlenih [20]. Kao naročito ugrožene kategorije su se izdvojili medicinski tehničari, žene i zdravstveni radnici u jedinicama intenzivne nege, kod kojih najčešće dolazi do razvoja depresije, anksioznosti i nesanice. Negativne posledice ovog sindroma nisu rezervisane samo za zdravstvene radnike, već se odražavaju i na pacijente i zdravstveni sistem uopšte. Povezane su sa povećanim stopama lekarskih grešaka, smanjenom produktivnošću i smanjenjem kvaliteta zdravstvene zaštite, što dodatno opterećuje već prenapregnuti zdravstveni sistem [21].

U cilju rane i pravovremene intervencije usmerene na prevenciju i druge vidove zaštite mentalnog zdravlja zdravstvenih radnika, organizovana je psihosocijalna podrška u uslovima epidemije KOVID-19 infekcije, putem telefona i digitalnih platformi (Skype i Zoom).

Takođe, u saradnji sa Institutom za mentalno zdravlje u Beogradu i Svetskom zdravstvenom organizacijom, krajem 2020. i početkom 2021. godine, realizovane su radionice i treninzi zaposlenih u ustanovama primarne zdravstvene zaštite, u pet gradova u Srbiji, posvećeni prevenciji sindroma sagorevanja na radu i unapređenju mentalnog zdravlja zaposlenih, ali i korisnika zdravstvenih usluga.

CENTAR ZA MENTALNO ZDRAVLJE

Ministarstvo zdravlja, Klinika i Grad Beograd su, u februaru 2018. godine, otvorili prvi Centar za mentalno zdravlje na teritoriji Grada Beograda. Ovaj oblik

tion of the Ministry of Health of the Republic of Serbia, the Clinic, in cooperation with the Institute of Public Health of Serbia *Dr Milan Jovanović Batut*, opened a vaccination point within its premises for persons with mental disorders and their family members, healthcare workers, and other citizens. The following vaccines are available at the Clinic: Astra-Zeneca, Pfizer, and Sinopharm. In the following period, the Clinic will continue with active immunization against COVID-19, thereby contributing to the achievement of herd immunity, which the Government of the Republic of Serbia has identified as a priority in the fight against the ongoing pandemic.

SUPPORT TO EMPLOYEES OF THE HEALTHCARE SYSTEM

Burnout syndrome in healthcare workers is not new. Everyday care for the life and wellbeing of others, a high level of responsibility, as well as the need for constant professional development, represent some of the factors which place healthcare workers in the high-risk group for the development of this syndrome. Risk of infection, social isolation, financial ramifications, the burden of increased workload, as well as the lack of job satisfaction stemming from numerous adverse outcomes of the disease, are additional pandemic related factors which have led to an even higher risk of the development of this syndrome amongst healthcare workers [20]. The following categories of health care workers have proven to be particularly vulnerable: medical technicians, women, the staff in intensive care units, as they have most commonly developed depression, anxiety and insomnia. The negative effects of this syndrome are not limited only to the healthcare workers themselves, rather, they affect patients and the healthcare system as a whole. These effects are connected to higher rates of medical errors, decreased productivity, and the decrease in the quality of healthcare services, which additionally encumbers the already overburdened healthcare system [21].

For the purpose of early and timely intervention aimed at prevention and other forms of care for the mental health of healthcare workers, psychosocial support in the context of the COVID-19 epidemic has been organized via phone lines and digital platforms (Skype and Zoom).

Also, in cooperation with the Institute for Mental Health in Belgrade and the World Health Organization, in late 2020 and early 2021, workshops and training sessions for primary healthcare workers were organized in five cities in Serbia. These events were dedicated to the prevention of burnout syndrome in the workplace and to the improvement of mental health in healthcare workers, but also in health service users.

vanbolničke psihijatrijske zdravstvene zaštite je do sada koristilo preko 15.000 građana. Tokom aktuelne pandemije, Centar za mentalno zdravlje je reorganizovao svoj rad, u smislu pružanja usluga iz preventivnog programa svim zainteresovanim licima putem telefona, kao i putem digitalnih platformi (*Skype, Viber* i *WhatsApp*). Pored bazičnih aktivnosti, uspostavljeni su partnerstvo i saradnja sa nevladinim sektorom, radi pružanja pomoći i podrške društveno osetljivim grupama podložnim diskriminaciji i stigmatizaciji zbog svog seksualnog opredeljenja ili rodnog identiteta. Takođe, pod pokroviteljstvom Ministarstva zdravlja i u saradnji sa Udruženjem „Šansa za roditeljstvo“, nastavljeno je sprovođenje projekta psihosocijalne podrške parovima koji su u procesu vantelesne oplodnje.

JAVNO-ZDRAVSTVENE AKTIVNOSTI USMERENE NA OČUVANJE I UNAPREĐENJE MENTALNOG ZDRAVLJA STANOVNIŠTVA TOKOM PANDEMIJE KOVID-19 INFEKCIJE

Kao i svake godine, i tokom pandemije su obeleženi Svetski dan prevencije samoubistva (10. septembar) i Svetski dan mentalnog zdravlja (10. oktobar) na Trgu Republike u Beogradu, ali uz poštovanje svih propisanih epidemioloških mera. Zainteresovani građani su imali priliku da se testiraju na najučestalije mentalne poremećaje (anksioznost, depresija, demencija i sl.), obave savetodavni intervju sa stručnjacima iz domena mentalnog zdravlja, kao i da se, preko edukativnih brošura Klinike, dodatno informišu o različitim mentalnim stanjima i bolestima („Demencija“, „Depresija“, „Anksioznost“, „Samoubistvo nije rešenje“, itd.). Takođe, na Trgu Republike u Beogradu je, 15. maja 2021. godine, po prvi put obeležen i Međunarodni dan porodice, sa posebnim osvrtom na adolescente i probleme sa kojima se oni i članovi njihovih porodica susreću tokom pandemije KOVID-19 infekcije. Preko brošura „Adolescenti i KOVID-19“ i „Porodica u vreme pandemije KOVID-19“ građani su mogli da se dodatno informišu o načinima prilagođavanja aktuelnoj epidemiološkoj situaciji.

BOLNIČKO LEČENJE

Primarna delatnost Klinike se tokom cele epidemije nije prekidala. Klinika za psihijatrijske bolesti „Dr Laza Lazarević“ je sve vreme punim kapacitetom zbrinjavala urgentna stanja u psihijatriji i primala pacijente na bolničko lečenje kroz redovan rad i dvadesetčetvoročasovna dežurstva, pokrivajući potrebe celokupne teritorije Grada Beograda.

Pored toga, prateći potrebe zdravstvenog sistema i dinamiku epidemije, Klinika je, u decembru 2020. godine, postala deo kovid sistema. U saradnji sa Klinikom za

CENTER FOR MENTAL HEALTH

In February 2018, The Ministry of Health, the Clinic, and the City of Belgrade opened the first Center for Mental Health in the territory of the City of Belgrade. So far, more than 15,000 citizens have used this form of outpatient mental healthcare. During the ongoing pandemic, the Center for Mental Health has reorganized the way it operates, in the sense of offering preventive program services to all interested persons via telephone and digital platforms (*Skype, Viber* and *WhatsApp*). In addition to the basic activities, partnership and cooperation with the nongovernmental sector has been established, for the purpose of providing assistance and support to socially vulnerable groups susceptible to discrimination and stigmatization resulting from their sexual orientation or gender identity. Also, under the auspices of the Ministry of Health and in cooperation with the *A Chance for Parenthood* Association, the implementation of the project of psychosocial support to couples undergoing the process of in vitro fertilization has been continued.

PUBLIC HEALTH ACTIVITIES AIMED AT PRESERVING AND IMPROVING MENTAL HEALTH IN THE POPULATION DURING THE COVID-19 PANDEMIC

During the pandemic, as every year, the World Suicide Prevention Day (September 10) and the World Mental Health Day (October 10) were celebrated on the *Trg Republike* square in Belgrade, with the observance of all mandated epidemiological protective measures. Interested citizens had the chance to get tested for the most common mental disorders (anxiety, depression, dementia, etc.), to do a consultative interview with mental health professionals, as well as to get additional information from educational brochures issued by the Clinic on different mental conditions and illnesses (*Dementia, Depression, Anxiety, Suicide is Not the Answer*, etc.) Also, at the *Trg Republike* square in Belgrade, on May 15, 2021, International Day of Families was celebrated for the first time, with a special focus on adolescents and the problems which they and their families have been facing during the COVID-19 pandemic. Citizens could also find additional information on the ways of adapting to the ongoing epidemiological situation through the following brochures: *Adolescents and COVID-19* and *The Family at the Time of the COVID-19 Pandemic*.

IN-HOSPITAL TREATMENT

The primary activity of the Clinic did not cease at any time during the epidemic. The Clinic for Mental Disorders *Dr Laza Lazarević* continued to operate with full capacity dealing with emergency psychiatric

infektivne i tropske bolesti Univerzitetskog kliničkog centra Srbije i Institutom za javno zdravlje Srbije „Dr Milan Jovanović Batut“, deset posto postelnog kapaciteta je odvojeno za lica sa mentalnim smetnjama obolelim od KOVID-19 infekcije, sa cele teritorije Republike Srbije. U ovom delu bolnice se, kroz multidisciplinarni rad, sprovode paralelno psihijatrijski tretman i kompletan protokol lečenja blagih i srednje teških kliničkih oblika KOVID-19 oboljenja, sa potrebom kiseoničke potpore do 15 l O₂/min.

POUKE

Osim što nas je suočila sa brojnim teškim izazovima, pandemija KOVID-19 infekcije, naučila nas je mnogo čemu:

- Zdravstveni sistemi su dinamični i živi. Njihovi činoci i te kako mogu interagovati i ponašati se neočekivano. Stoga, stalna budnost, fleksibilnost, spremnost za promenu i kratkoročno predviđanje, jesu faktori koji dokazano mogu doneti pozitivni preokret.
- Organizacije, ipak, čine ljudi. Visoko organizovano rukovodstvo, motivisani zaposleni i standardi kvaliteta čine zlatno trojstvo koje favorizuje efikasnost.
- Javno zdravlje je najveći nacionalni resurs. Pandemija nas je podsetila koliko smo mogli i koliko je trebalo više da učinimo na polju preventive, promocije zdravlja i zdravstvenog prosvetavanja, još pre ove oluje koja je odnela živote, ranila ekonomije i politički potresla ceo svet.
- Mentalno zdravlje je integralni deo zdravlja, a adaptacija ličnosti i zrelost pojedinca najveći društveni kapital.
- Kriza je prilika da učimo šta su prave vrednosti i da vidimo bolje. Priznajmo – hipokrizija komformizma, egocentrične i materijalne kulture, ogoljena je u sudaru čoveka sa prirodom. Srećom, promenili smo se - na dobrobit, i zahvaljujući medicini, najvećim delom.

Sukob interesa: Nije prijavljen.

conditions and admitting patients for in-hospital treatment throughout its regular working hours and during 24-hour stand-by shifts, covering the needs of patients from the entire territory of the City of Belgrade.

Additionally, keeping in touch with the needs of the healthcare system and the pace of the epidemic, in December 2020, the Clinic became a part of the covid system of hospitals. In cooperation with the Clinic for Infectious and Tropical Diseases of the University Clinical Center of Serbia and the Institute of Public Health of Serbia *Dr Milan Jovanović Batut*, ten percent of the hospital bed capacity was designated for persons with mental disease suffering from the COVID-19 infection, from the entire territory of Serbia. Through interdisciplinary work, parallel psychiatric treatment and the full protocol for treating mild and moderate clinical forms of the COVID-19 disease, with oxygen therapy needs of up to 15 l O₂/min, are carried out in this part of the hospital.

LESSONS LEARNED

In addition to placing before us numerous and considerable challenges, the COVID-19 pandemic has taught us many other lessons, namely:

- Healthcare systems are dynamic and living entities. Their components can indeed interact and behave in unexpected ways. Therefore, constant vigilance, flexibility, readiness to accept change and to make short-term projections, represent factors which have been proven to enable positive shifts.
- After all, organizations are made up of people. Highly organized management, motivated staff, and quality standards represent the golden trinity favoring efficiency.
- Public health is the most valuable national resource. The pandemic has reminded us of how much more we could have and should have done in the domain of prevention, health promotion, and health awareness and education, even before the coming of this storm that has claimed lives, damaged economies, and politically shaken the entire world.
- Mental health is an integral part of health, and the ability of individuals to adapt and their maturity represent the most valuable resources of a society.
- A crisis is an opportunity for us to see what real values are and to gain clarity. Let us admit that hypocrisy of personal comfort, of egocentric and materialistic culture, has become exposed in the clash between man and nature. Thankfully, we have changed – to the benefit of and primarily owing to medicine.

Conflict of interest: None declared.

LITERATURA / REFERENCES

- Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395:497–506.
- Tan WJ, Zhao X, Ma XJ, Wang WL, Niu PH, Xu WB, et al. Notes from the Field: A Novel Coronavirus Genome Identified in a Cluster of Pneumonia Cases – Wuhan, China 2019–2020. *China CDC Weekly*. 2020;2:61–2.
- World Health Organization. WHO Coronavirus (COVID-19) Dashboard. [Internet]. Available on: <https://covid19.who.int/>
- Stašević-Karličić I, Đorđević V, Dutina A, Stašević M, Janjić V, Ignjatović-Ristić D, et al. The impact of COVID-19 pandemic on suicide attempts in the Republic of Serbia. *Srp Arh Celok Lek* 2021; OnLine-First Issue 00:53–53.
- Javed B, Sarwer A, Soto EB, Mashwani ZU. The coronavirus (COVID-19) pandemic's impact on mental health. *Int J Health Plann Manage*. 2020;35(5):993–6.
- Tsamakis K, Tsitsios D, Ouranidis A, Mueller C, Schizas D, Terniotis C, et al: COVID19 and its consequences on mental health (Review). *Exp Ther Med* 21: 244, 2021.
- Knolle F, Ronan L, Murray GK. The impact of the COVID-19 pandemic on mental health in the general population: a comparison between Germany and the UK. *BMC Psychol* 9, 60 (2021).
- Pirkins J, John A, Shin S, DelPozo-Banos M, Arya V, Analuisa-Aguilar P, et al. Suicide trends in the early months of the COVID-19 pandemic: An interrupted time-series analysis of preliminary data from 21 countries. *Lancet Psychiatry* 2021; 8: 579–88.
- Faust JS, Shah SB, Du C, Li S, Lin Z, Krumholz HM. Suicide Deaths During the COVID-19 Stay-at-Home Advisory in Massachusetts, March to May 2020. *JAMA Netw Open*. 2021;4(1):e2034273.
- Stašević-Karličić I, Đorđević V, Stašević M, Subotić T, Filipović Z, Ignjatović-Ristić D, et al. Perspectives on mental health service during COVID-19 epidemic in Serbia. *Srp Arh Celok Lek* 2020; 148(5–6): 379–82.
- Institute of Medicine (US) Committee on Evaluating Clinical Applications of Telemedicine; Field MJ, editor. *Telemedicine: A Guide to Assessing Telecommunications in Health Care*. Washington (DC): National Academies Press (US); 1996. 1, Introduction and Background, [Internet]. Available on: <https://www.ncbi.nlm.nih.gov/books/NBK45440>
- Chowdhury SR, Sunna TC, Ahmed S. Telemedicine is an important aspect of healthcare services amid COVID-19 outbreak: Its barriers in Bangladesh and strategies to overcome. *Int J Health Plann Mgmt*. 2021; 36: 4–12.
- Mazereel V, Van Assche K, Detraux J, De Hert M. COVID-19 vaccination for people with severe mental illness: why, what, and how?. *Lancet Psychiatry*. 2021 May;8(5):444–50.
- Gibbon S, McPhail E, Mills G, McBride M, Storer R, Taylor N, et al. Uptake of COVID-19 vaccination in a medium secure psychiatric hospital population. *BJPsych Open* 2021; 7 e108, 1–3.
- Ilyas A, Chesney E, Patel R. Improving life expectancy in people with serious mental illness: should we place more emphasis on primary prevention?. *Br J Psychiatry*. 2017;211(4):194–7.
- Pineles L, Perencevich EN, Roghmann MC, Gupta K, Cadena J, Baracco G, et al. Frequency of nursing home resident contact with staff, other residents, and the environment outside resident rooms. *Infect Control Hosp Epidemiol* 2019; 40: 815–6.
- Miles LW, Williams N, Luthy K, et al. Adult vaccination rates in the mentally ill population: an outpatient improvement project. *J Am Psychiatr Nurses Assoc* 2020; 26:172–80.
- Gayle H, Foege W, Brown L (eds). *Framework for Equitable Allocation of COVID-19 Vaccine*. Consensus Study Report. Washington, DC, National Academies of Science, Engineering, and Medicine, 2020. [Internet]. Available on: <https://www.nap.edu/catalog/25917/framework-for-equitable-allocation-of-covid-19-vaccine>
- Li L, Kulp W, Goldman ML, Sernyak M, Petrakis I, Runnels P. COVID vaccine use in inpatient psychiatry units-The need is here and now. *Gen Hosp Psychiatry*. 2021;71:132–3.
- Bradley M, Chahar P. Burnout of healthcare providers during COVID-19. *Cleve Clin J Med*. 2020 Jul 9. PMID: 32606049
- Lai J, Ma S, Wang Y, Chai Z, Hu J, Wei N. Factors associated with mental health outcomes among health care workers exposed to coronavirus disease 2019. *JAMA Netw Open* 2020; 3(3):e203976.